Approved For Release 2008/02/12 : CIA-RDP94T00858R000600940001-0 **DMINISTRATIVE-INTERNAL USE ONL**

DATA CENTER OPERATIONS BRANCH

NDS OPERATIONS PROCEDURE MANUAL NO. P-A010

SYSTEMS SW & HW 14 December 1983

AMPERIF DISC CONTROLLER I STRING TESTING WITH ALL DRIVES

SYMBOLIC TITLE: N/A ORIGINATOR:

STAT

ADMINISTRATIVE-INTERNAL USE ONLY

Approved For Release 2008/02/12 : CIA-RDP94T00858R000600940001-0

.DMINISTRATIVE-INTERNAL USE C. .Y

CLASSIFICATION

DOCUMENT CHAN	IGE REQUEST (DCR)	DATI	NO: 0006 E LOGGED: E CLOSED: 1/25/84
TITLE DCI Testing w/all Driv	es	NO.	ASSIGNED BY TSST
INITIATOR _	es SECTION SPS	DATE 10/3/83	PH ST
TECHNICAL MONITOR			
SYSTEM AFFECTED:		COINSI	RTMS OTHER ST.
BRANCH CHIEF SIGNATURE		DATE	7 no 183
INITIATING DOCUMENT NO.: DR	# RFC #	0	THER
Procedure to allow the AM all disc drives. DCOB INTERIM APPROVAL \$\sigma\$ C/DCOB:	DATE 11/4/83		NON-CONCUR STA
	/ /		
CERB:			
CCDCOB:	DATE _/4_DEC	concur 83	NON-CONCUR
		<u>8</u> 3	
C/DCOB:	14 DEC	<u>83</u>	
C/DCOB: C/SB:	14 DECS	<u>83</u>	
C/DCOB: C/SB:	14 DECS	23 3 13	

ADMINISTRATIVE-INTERNAL USE ONLY CLASSIFICATION

Approved For Release 2008/02/12 : CIA-RDP94T00858R000600940001-0 "MINISTRATIVE-INTERNAL USE ONLY

DATA CENTER OPERATIONS BRANCH

NDS OPERATIONS PROCEDURE MANUAL No. P-A010

SYSTEMS SW & HW 14 December 1983

PURPOSE

1. This procedure should be followed to insure that AMPERIF CEs can test the Disc Controller I (DCI) String in a manner that will prevent the corruption of user data.

REFERENCES

2. None

RESPONSIBILITIES

3. The DCOS Team Supervisor, in coordination with the Operations Control Officer, is responsible for carrying out this procedure in support of the AMPERIF CEs. Also, an operator must be on the console at all times while AMPERIF is testing.

PROCESSING

- 4. The following steps must be taken (CAUTION: THIS TEST MUST HAVE PRIOR APPROVAL BY THE OCO SINCE EXECUTING THIS PROCEDURE WILL FORCE A JUMP KEY 13 BOOT UPON COMPLETION.):
 - A. Run the Backup Master Runstream ST BACKUPMASTER.
 - B. Run the Save All Runstream ST SPS*\$\$RUN.SECURE-SAVE,,,UNIVAC.
 - If the SECURE run FINS normally procede to Step C. If the SECURE run error FINS, contact Systems Programming Section (SPS) for problem resolution prior to continuing.
 - C. Place all drives in the READ-ONLY mode on the DCE, DCF, DCG, and DCH strings.
 - D. Perform a disc boot to DIO with only the DCI drives, prior to entering the date and time, by keying in:

DN,ALL DCEO DN,ALL DCFO DN,ALL DCGO DN,ALL DCHO

E. Answer 'N' to the "INITIALIZE TIP" message. The system is now ready to support AMPERIF testing. There are two files on the DCI string that contain the AMPERIF CEs diagnostic routines: AMP*AMP and CED*AMP.

ADMINISTRATIVE-INTERNAL USE ONLY

Approved For Release 2008/02/12 : CIA-RDP94T00858R000600940001-0 `MINISTRATIVE-INTERNAL USE ONLY

F. Following AMPERIF testing, perform a Jump Key 4, 13 Boot from tape to DIO using the Jump Key 13 Boot procedure and the latest M&A boot tape. Clear the READ-ONLY mode from all of the DCE, DCF, DCG, and DCH drives. Prior to entering the date and time, key in DN DI3 to remove this drive from the system. If the "VOL1" label from DIO, DI1, or DI2 has been corrupted, call SPS for support. This condition will be indicated by the following message:

DIO PACK REQUIRES PREPPING

2