#### DATA CENTER OPERATIONS BRANCH

NDS OPERATIONS PROCEDURE MANUAL NO. P-A011

SYSTEMS SW & HW 14 December 1983

AMPERIF DISC CONTROLLER I STRING TESTING WITH DI3 ONLY

N/A

**STAT** 

ADMINISTRATIVE-INTERNAL USE ONLY

# D

## ADMINISTRATIVE INTERNAL USE ONLY

				<i>,</i>
DOCUMENT C	HANGE REQUEST (DCR)	i	DATE LOG	0007 GED: SED: <u>//25/84</u>
TITLE <u>DCI Testing w/DI3 on</u> l	у	NO.	FW ASST	CMED BY TSSY
TITLE <u>DCI Testing w/DI3 onl</u>	SECTION SPS	DATE <sub>10/3</sub>	/83 P	S S
FECHNICAL MONITOR				
SYSTEM AFFECTED:1100	/OPS X 1100/M&A	_ COINS	RTMS	OTHER
BRANCH CHIEF SIGNATURE		DAT	E <u>2/10</u>	<del>√83</del>
INITIATING DOCUMENT NO.:	DR # RFC #		OTHER	
NEED FOR CHANGE:  Procedure to allow AMP	PERIF CE's to test the DCI	disc contro	ollers us	ing "DI3"
Procedure to allow AMF	PERIF CE's to test the DCI	disc contro	llers us	ing "DI3"
Procedure to allow AMF disc drive only			14-14-14-14-14-14-14-14-14-14-14-14-14-1	
Procedure to allow AMF disc drive only  DCOB INTERIM APPROVAL:		COA	14-14-14-14-14-14-14-14-14-14-14-14-14-1	ing "DI3"
Procedure to allow AMF disc drive only  DCOB INTERIM APPROVAL:  C/DCOB:	DATE	COA	14-14-14-14-14-14-14-14-14-14-14-14-14-1	
Procedure to allow AMF disc drive only  DCOB INTERIM APPROVAL:  C/DCOB:  CERB:	DATE 1/1/8	CON P	14-14-14-14-14-14-14-14-14-14-14-14-14-1	
Procedure to allow AMF disc drive only  DCOB INTERIM APPROVAL:  C/DCOB:  CERB:	DATE 1/1/8	CON CON	ICUR	NON-CONCUR
	DATE 11/1/8 DATE 14 DE	CON CON CON	ICUR	NON-CONCUR

ADMINISTRATIVE-INTERNAL USE ONLY

CLASSIFICATION

#### DATA CENTER OPERATIONS BRANCH

NDS OPERATIONS PROCEDURE MANUAL No. P-A011

SYSTEMS SW & HW 14 December 1983

#### **PURPOSE**

1. This procedure should be followed to insure that AMPERIF CEs can test the Disc Controllers DCIO, DCII, and their cache using DI3 only in a manner that will prevent the corruption of user data. This procedure cannot be used to test drives DIO, DII, and DI2.

#### REFERENCES

2. None

#### RESPONSIBILITIES

3. The DCOS Team Supervisor, in coordination with the Operations Control Officer, is responsible for carrying out this procedure in support of the AMPERIF CEs. Also, an operator must be on the console at all times while AMPERIF is testing.

### PROCESSING

- 4. The following steps must be taken:
- A. Mount "AMPDRS" in any available drive in the DCE, DCF, DCG, or DCH strings.
- B. Place all drives in the READ-ONLY mode on the DCE, DCF, DCG, DCH, and DCI strings except the drives containing "AMPDRS" and DI3 which should be WRITE-ENABLED.
- C. Perform a tape boot to "AMPDRS" using the latest M&A boot tape with Jump Key 4 set on the STU. At modify configuration time key in:

DN,ALL DCEO DN,ALL DCFO DN,ALL DCGO DN,ALL DCHO DN DIO,DI1,DI2

THE SYSTEM WILL NOT ALLOW THE "AMPDRS" DRIVE TO BE DOWNED. Then, enter the date and time.

D. Answer 'N' to the "INITIALIZE TIP" message. The system is now ready to support AMPERIF testing. There are two files on the "AMPDRS" pack that contain the AMPERIF CEs diagnostic routines: AMP\*AMP and CED\*AMP.

ADMINISTRATIVE-INTERNAL USE ONLY

- E. Following AMPERIF testing: stop the system, remove "AMPDRS", and remove the READ-ONLY mode from all M&A drives. In addition to normal configuration changes prior to entering the date and time, perform a disk boot to the M&A DRS (DIO). At modify configuration time, key in DN DI3.
- F. Continue booting the system according to normal procedures for a recovery boot.

2