


SECRET

IAGPA-F-SD

23 March 1983

MEMORANDUM FOR RECORD

SUBJECT: CENTER LANE Interview Summary - CL-1001/8303/01 (U)


SG1A 1. (S/NOFORN) On 220900 March 1983, source #01 was interviewed by #66 concerning 

2. (S/NOFORN) For this interview source was shown the photograph provided by the sponsor and the appropriate area of the rooftop was pointed out. Source was told to focus his efforts only on the newly constructed area which was indicated to him. Other photographs provided by the sponsor were not shown to the source as the collection plan called for their use as "feedback" and cuing material for possible subsequent interviews.

3. (U) A transcript of the interview was prepared including a narrative explanation of the drawings which source provided (see Incl 2).

4. (U) A DA Form 341 (Agent Report) was prepared for the sponsor. This report related the salient points of the interview. Attached as an exhibit to the DA Form 341 was a copy of source's drawings (see Incl 3).

3 Incl
as


FREDERICK H. ATWATER
CPT, MI
TNG/OPS Officer

NOT RELEASABLE TO FOREIGN NATIONALS

SECRET

SG1C

Approved For Release 2003/09/09 : CIA-RDP96-00788R001600310001-1

Approved For Release 2003/09/09 : CIA-RDP96-00788R001600310001-1

SECRET

TRANSCRIPT

- #66: This will be a CENTER LANE Interview for 0900 hours, 22 March 1983. Relax now and focus your attention on the newly constructed portion in the photograph I've shown you, solely and completely on the newly constructed portion I've pointed out. Focus 22 March 1983.
- #01: See a..similar patterns to the other side. There's a cover of some kind there, it's like hard cloth, plastic. See metal rings and squares, with different size square holes, "U" shapes, some vertical as well as a horizontal claw shape. Everything else is almost identical to the other side.
- #66: The Status of operations 22 March 1983?
- #01:The a..square things, the rings are 24 hour operational...First, there is intermittent, same as the other side.....It's a mirror image..except for the cover, it's different....Get a sense of emission from this side of the building,..something emitted.
- #66: Newly constructed area?
- #01: Yes.
- #66: Raw data?
- #01: It's got a sense of emission..like an added function....Very low, very low frequency.
- #66: Raw data?
- #01: Looking for the antenna, it's like an impression of the whole building is an antenna. Huge...that won't hold a piece of the sign wave.....That's all I'm getting.
- #66: All right. Review your impressions so that you might draw them.
- #01: Okay.
- #66: All right. Let's draw the perceptions you've had.

NOT RELEASABLE TO FOREIGN NATIONALS


SECRET


SECRET


DRAWING EXPLANATION

- #01: Everything on this end of the building is a mirror image of the other end of the building, except for what I've drawn. The things that I perceive as being different or variances.
- #01: Page 1 shows a vertical claw in addition to a horizontal and they are of a different design and they are made of metal plates and some kind of framework. And they move as indicated.
- #01: Page #2 are two devices. They are kind of small and there's more than one of each. The apparatus on the swivel, I got a real good view of. The one in the bottom right of Page 2, I didn't get a very good view of, but that's kind of like the perception of what it was.
- #01: Page #3, right at the end of the session, I got a perception of what the old system looked like.
- #66: What do you mean by "old system"?
- #01: This is what all the new construction's replaced.
- #66: Okay.
- #01: And I just drew it out as I perceived it. And that's essentially it.
- #66: Okay.

SECRET







PERCEPTION OF
A = OLD SYSTEM.

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-20; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

SG1A

1. NAME OF SUBJECT OR TITLE OF INCIDENT	2. DATE SUBMITTED
[Redacted]	3. CONTROL SYMBOL OR FILE NUMBER CL-1001/8303/01

SG1A

4. REPORT OF FINDINGS

On 22 March 1983, Source CL-01 was interviewed concerning [Redacted]

Source stated substantially as follows:

This area was a "mirror image" of the other side of the building rooftop (see Agent Report CL-999/8303/01) with few exceptions. This area had a "cover of some kind" made of hard cloth or plastic (not further identified). Within this area Source described two different types of devices. The first was described as "metal rings and squares, with different size square holes" (drawing 2). The second was described as a "U" or claw shaped apparatus (drawing 1). This apparatus (not further identified) was made of metal plates on a framework and was moveable.

When questioned concerning the status of operations as of 22 March 1983, Source reported that the devices of metal rings and squares were "24 hour operational." Source detected a new or added function to this end of the building which he described as a very low frequency emission. In reference to this emission, Source reported that the "whole building" (not further identified) was a huge antenna.

SG1A

Source also provided, without comment, a conceptual drawing (drawing 3) of the "old system" which was replaced by the new construction. [Redacted]

Attached hereto as EXHIBIT I are drawings provided by Source.

WARNING NOTICE: SENSITIVE INTELLIGENCE SOURCES AND METHODS INVOLVED NOT RELEASABLE TO FOREIGN NATIONALS


CLASSIFIED BY: MSG, DAMI-ISH
DTG: 051630ZJUL78
DECL: Originating Agency's Determination Required

[Faint signature and stamp]

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT	6. SIGNATURE OF SPECIAL AGENT
---	-------------------------------

SECRET

**US ARMY
INTELLIGENCE AND SECURITY
COMMAND**



**EXHIBIT
COVER SHEET**

SG1A

SUBJECT:

FILE NUMBER:


CL-1001/8303/01

PREPARING UNIT:

AGENT REPORT DATED:


DESCRIPTION: Drawings

SECRET




SECRET

①



SECRET

SECRET



A = PERCEPTION OF OLD SYSTEM.

SECRET

SECRET