


~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

5. (S/NF/SK) COMMENTS: Source's early descriptions during this session tended to favor a missile or rocket type vehicle as noted in the rather detailed sketches of what appear to be rocket motor exhaust vents and eventually a unusually complete sketch of a rocket type vehicle. It should be noted in both sketches that Source "attempted" to add some side protuberances but did not fully "objectify" these impressions. Eventually these protuberances became wings and at that point the material seemed to flow more easily from the Source as He was able to resolve the obvious confusion of the differences between the images of a rocket and the images of a "new and unusual aircraft". Once the term, "aircraft" had been spoken (and thus objectified), data pertaining to the "skin" material, "~~super critical~~" wings and ~~unusual~~ configurations seemed to make more sense to Him. The Source was intentionally forbidden from spending large amounts of time attempting to describe the internal workings of this aircraft since it was believed that the configurational data was, at this time, ~~more critical~~ to the overall understanding of the future taskings. In future sessions, Source will be tasked to report even ~~more~~ detailed data on the configuration and capabilities of this aircraft and then be "permitted" to go inside and report on the technical equipment inside. It was surprising to note that even in the early phase of this session, when Source was still trying to make the object a rocket, He perceived that ~~it was~~ "encased" by some sort of protective barrier which could have been an early insight into the ~~actual~~ Stealth technological identity.

SG1J



GS-13, DAC
Monitor

Object of interest is large, rounded, cylindrical, tapered, dark green, brown, black, silvery, smooth, complex, and involves triangular elements; it is made of various types of metal. It is made of several sub-components which put together allow the entire object to perform its function. These are checked regularly to ensure proper functioning, and if there is any doubt as to serviceability the component is replaced. Object functions as the result of an interaction of electronic, mechanical, and chemical processes. Inside is a compact package of complex circuitry, electrical connections, regulating mechanisms, lots of different colored wire, which all serve as an adjunct to the purpose of the object. The object seems thicker throughout one portion. There is a space leading into the interior of the object strongly suggestive of an air intake. The front ("nose") of the object is "faceted", much like the nose of an RF-101 reconnaissance aircraft in shape. The importance or purpose of the entire object is concentrated in the front part, which is shielded or concealed by some sort of sheath or cowling or housing. "Skin" of object is thinner and lighter than one might expect because of its enhanced qualities. It is an alloy that has "form memory"--springs back to approximate original shape if deformed momentarily. It also "sheds" heat, shielding internal elements from heat buildup, maintaining as constant a temperature inside as possible. In the front is a tapered, matte black, smooth area highly suggestive of a radome on an aircraft. The whole object is highly suggestive of an aircraft; seems meant to fly through the air over relatively long distances under control to perform specific tasks or missions. Can be used more than once. Certain projections occur on the body of the object. These are flat, tapered, thin, slanted, symmetrical, oppositely opposed, and relatively short compared to other such projections on other similar objects. These projections contribute to controlling, guiding, and lifting of the object. "Tungsten" and "super critical" are words that associate with this object, as does "ferro-silicate." There seems to be something different about this aircraft-like object, such as flat surfaces where they are not usually encountered and some sort of unconventional dynamics. It involves extremes of speed--extremely fast, extremely slow, or both. A sense of "droopy" exists with this object--like it has lots of built-in flexibility which enhances performance and survivability. Entire object seems to be enclosed within something container-like, "protecting" it or giving it a "sense of security."

skin
✓
configuration
✓

Absence of vert. stability
✓

~~SECRET~~ - NOFORN
SECRET CHANNELS ONLY

(When filled in)

Page 1

Project: 8709
Date: 18 aug 87
Session: 02
Source: 003

Start: 1303
Sanctuary:
Target: 13
Finish:

Coordinate: 135750/112794

Frontload: "Paul this is the same target as before, take your time and concern yourself with the object of special interest"

Notes:

- ① No known or stated inclinations
- ② Hot/humid

~~SECRET~~ - NOFORN
SECRET CHANNELS ONLY

(when filled in)

Draft:

(2)

- ① Pg 3A " Show me the cylindrical portion of your sketch
- ② Pg 4 " Before moving any deeper into the components I think ~~we~~ would like you to back off a little and concentrate more on the general shape and configuration of the whole object.
- ③ ~~Ok~~ Pg 5 - Make a reference to the "stalk of wheat at one end, that end concept is of interest."
- ④ Pg 6 - Paul you are moving from the interior to the exterior and vice versa. I don't mean to infer this is wrong but it will be easier as we progress if you remain with the exterior before I direct you to the interior.

BREAK

1335 -

- ⑤ Pg 6 - Paul add another sheet of paper to the bottom of your sketch so that you do not feel constrained by the bottom of the page -
- ⑥ Pg 6 - In an earlier drawing you started to add "side images" or projections and in this drawing you seemed to have started that again -
- Pg 6 - Set the sketch aside - and return to structure to clarify some of your thought - you mentioned flexible metal like aluminum - tell me about that material
- ⑦ Pg 8 - tell me about the ~~heat~~ heat flowing off the object -

(3)

- ⑧ Pg 8 - you said Radome in an aircraft.
What does a Radome serve - what does it
serve ~~it~~ (ans: a crew). What does
a missile have. (ans: a gyro guidance)
okay now continue.
- ⑨ Pg 8 - Lets objectify the term projections.
you repeat that phrase frequently -
- ⑩ Pg 9 - add the Wump to your sketch
- ⑪ Pg 7 - Does it bother you if it ~~turns~~
turns into an airplane -

Paul
13/04/87
Ft. Meade, MD
Gene
1303

54

D

M2

#1

T

I

RL

Ab

large
square
angle
rounded
slanted

dark green
black
summit
silver

rounded
cylindrical
translucent
curved

bed
brown

concentric

object

complex

winged


gitter-
like



metals

smooth

tapering

dark
lobes





52

2

6 I

T

I

Ad

AS

parts

access

interior

components

replaceable
serviceable

Sel/2 periodic maintenance check-ups. System checked for proper functioning. Replaced if any doubt of serviceability.

White

Sel/2 several sub components assembled to make whole. Cylindrical portion is separable from other elements present.

White

"like" rivets around



electronic
mechanical
chemical
interacting

Sel/2 inside compact packages of circuitry, electrical connections, ~~beginning of~~ ~~base of~~ ~~effort~~ ~~load~~ which all serve as adjunct for purpose of object.

SUI

4

S2

F2

E1


I

I

AOA

AB

shape(c)

rounded
long
slim
diamond


As
missile
-like
shape



metal

thin

flexible

"like"
aluminum

dark
matte
color

5/2 Seams thicker in one portion than the rest. "like", it
flairs out at one  point for a
ways than "flairs"  back in again.

lines
grooves




SVI

S2

ACL #5

5/16 space, "like" air intake.



interests about one end. A "pilot" sort of
feels like more interests on underlying fuel.

"like" stalk of wheat - lots of substance to whole stalk,
but it all exists for the purpose of the head or kernels.

Position that's most important is not visible from exterior but is
covered over - inside - a metal sheath ~ covering or housing
that looks like the rest of the object.

For Bill
reminds
me of a
cruise miss. b



front
faceted

contoured


5/16 softened edge

curving out


rounded

section

metal
projecting



26



52

SVI

D
AI
EJ
T
I
AL
As

composites

metal

casting
stability

material (c)

5 1/2 light weight strong; deformable reshapable - "form memory"
amalgamation - alloy

ferro
silicate

burnished

5 1/2 "like" it's thinner ^{lighter} than would normally be expected to
 because of enhanced qualities.. Heat resistant - dissipation.
 Heat's exterior - rushed against object "like" venting.
 temporary environmental hazard. Needs to be protected against
 nevertheless. Shields intervals. Maintains as constant
 conditions as possible.

blade
shiny
with
swords

like
nose
radar
on
aircraft

S U I

7

S2 D AI EI T I ADL AL<

Sticky
flat
cable

Squawish

Coupling



ADL BK
like F-16

air
breath

pointed



ADL BK
nose on
a RF-101

bumps



projecting

S&S/ADTs meant to fly thru air over relatively
long distances under control to perform specific
tasks & missions. Can be used more than once

S2 D H1 BI T I A02 A/S

SVI

projections (c)

flat tapered thin

metal

supporting

slanted symmetrical opposed

controlling stability lifting

aircraft wings

curved

smooth

super critical


short

Sub 2 Short in comparison to what wings otherwise be expected

fungus

Sub 2 "like" there's something different about this aircraft like

flat surfaces (as here not usually encountered). aerodynamics are unconventional.





factor here

*003
18 Aug 87*

SUI

9

S2

B

AI

EZ

T

I

ADL

ALS

heavy

powerful
maneuverability

Sell/2 extremes of speed - real slow or real fast or both.

ADL Bk
Ground
= ppt
A-10

droopy



Sell/2 like lots of built-in flexibility - enhances performance + survivability.

1416

ADL Bk
VSTOL