

REMOTE VIEWING SESSION DATA

\*\*\*\*\*  
\*  
\* Remote Viewer : GP \*  
\* Interviewer : ED \*  
\* Observer(s) : \_\_\_\_\_ \*  
\* \_\_\_\_\_ \*  
\* \_\_\_\_\_ \*  
\* Date : 14/09/87 \*  
\* Starting time : 1501 hours, local \*  
\* Site # : 1003 \*  
\* Site Acquisit.: (CRV) ERV PRV ARV BRV Other \_\_\_\_\_ \*  
\* Working Mode : (GT) HEM Other \_\_\_\_\_ \*  
\* Feedback class: A (B) C \*  
\*  
\*\*\*\*\*

\*\*\*\*\*  
\*  
\* Ending time : 1517 hours, local \*  
\* Notes : \_\_\_\_\_ \*  
\* Highest stage : S1, P2 \*  
\* Evaluation : X \_\_\_\_\_ \*  
\*  
\*\*\*\*\*

\*\*\*\*\*  
\*  
\* Actual site : TRISTAN DO CUNHA \*  
\* RV summary : \_\_\_\_\_ \*  
\* : \_\_\_\_\_ \*  
\* : \_\_\_\_\_ \*  
\*  
\*\*\*\*\*


PL Time of Month

SG1J

AV —

13 Meade  
Monitor Ed  
14 Sep 87  
1501


37° 15' S  
12° 30' W



A. round  
semisoft  
hard.

TM BK

37° 15' S  
12° 30' W




A. round  
horizontal  
hard  
shallow  
fluidy not as fluidy  
as things have been before

B. water

conf BK

2

37° 15' S  
120° 30' W




A. sloping up peak down  
hard

B. mountain

end 1517

Ed monitor  
14 Sep 87  
1529

38° 55' N  
77° W



A. Across  
fluidy  
B. water

38° 55' N  
77° W




Miss BK

38° 55' N  
77° W



A. vertical up across  
conf BK

38° 55' N  
77° W




A. Around

AOL  
horizontal

38° 55' N


77° W



A. Across  
soft fluidy  
B. water

38° 55' N

77° W




A. horizontal cloud

conf Bk

About 1536

S1 SESSION COMMENTARY  
SGTJ AFTERNOON SESSION  
14 SEPTEMBER 1987



The ideogram drills obviously helped as evidenced by the nice circular island ideogram. My reversal of the feeling was rather disconcerting, that WAS FLUID I felt in the center. The system, fortunately, as usual did not hesitate to correct itself. I still find it remarkable how when I miss what is going on in one ideogram after one or two tries, the system will present the same data in a new form. Very reassuring. I still wonder though, who is teaching whom (conscious vs unconscious).

Continuing to bilocate after the session is over is annoying. I hope that as I progress, a program will be inserted that will let my conscious know when I'm still on site. I have the feeling however, that this is going to be a problem that will get worse before it gets better. Maybe meditating between site sessions would help clear my mind (or get it back in one piece at the same place in space/time).

I also need to learn to call confusion breaks for myself. I hesitate to call a break because I don't want to leave until I understand what I am sensing. This is self-defeating, because calling a break will provide feedback to my unconscious which in turn will help to rectify the situation on the next iteration of the coordinates.