

Paul
7 May 87
Ft. Meade, MD
Ed
1:29

SVI

S.2

D AI EI T I Avl

Als


fluctuates
waves

Pulse
rhythmic
regular
rapid
directional

Als like polarized; out-placed

Avl Bk
beam
energy
weapon

Als
DNA - bubble
shape


bubbles
on
string

target
structure

staccato
sound

voan

sequential
direction

St^{1/2} - method/care of effects on target structure not apparent
to visual perception.

SZ D A2 E2 T I AOL AS

direction


5/12 direction from which cause of effect comes is side, slightly
up angle, almost parallel to general horizon

Some of "wiggly" to course the course follows.

AOL Bk
like
lighter
bold in
sky

5/12/AOL/s like 2 components - designator, and "course"

AOL Bk
like
laser designator
+ smart missile



2

S U I
D AI E J T I DOL

object

Smooth

round

shiny

metal

5-1/2 "Fung shaped," various different shapes, protrusions, angles, sub structures, suppt. on "legs"/"outrippers" landing gear "like" springs loaded or "bouncy".

Little internal empty space.

wires
cables

Circuits

electronic
parts

guiding
mechanisms

project by
controlling

I FF
circuits

5-1/2 system operates so rapidly, specially designed I FF necessary to prevent accidental destruction of friendly/neutered targets.

SUI

5

S2

D

AZ

EI

I

I

DoL

B6

S4/2 part of object capable + necessary of rotation
+ declination etc.

person operates

single
inside

protected
controlling

S4/2 "goes with" system/object..

DoL Bk
Billy Gunn
OAB-25

hydraulic
part
hose
couplings
fluid
pressure

S4/2 rapid direction changes

SVI

6
ALS

S2

D H1 EI

self-contained

S4/2

but after prolonged use requires replacement
Severely prohibits capabilities.

resupply

liquid
solids

like fuel
cell

recharging

substance

sublimation
solid-to-vapor
volatile
hermetic

S4/2

unit-for-unit replacement; connecting; disconnecting;
switching; recharging spent unit (very involved process)

slow
elevation

soured

52

D

A2

E1

T

I

SVI

arabidg
noise

instantaneous

burning
flashing

like
welding
or
sparkles

very
high

kind
swell

charring
fusing
burning

Spalling

5-1/2 can't see, but is tenuous feel of substance to it.

7-1/2 not always dependable; design "bugs". Mixed blessing.
sometimes fails to function embarrassingly. Usually

Sub-system weakness. So complex that optimum
performance parameters seldom completely met. Designer
as works to correct shortcomings. But problematic

SVI

OL #6

S 2.

because of certain physical principle in compatibility.

red
blue
yellow

point
circle



star

Apr Bk
Script
Flan


Orangeish
red

yellow


black

frisker
border

gold



#1



Site seems to be a ~~very~~ rounded, angled, shiny object (examined with wires, ~~base~~ bases, electrical connections, subsystems + assemblies, and one person; it is supported on legs/outriggers/land by ~~gear~~ gear that is damped/shock absorber equipped. Object has some degree of mobility potential. Seems also to be a major component of a R&D weapons system with unusual characteristics capable of engaging/ targeting at unusual distances. System may possibly be directed/targeted/aimed by a secondary "designator" system located separately from main operative component.

1413