Office Memorandum • UNITED STATES GOVERNMENT

TO : Chief, I & S Staff

DATE: 21 Howamber 1950

FROM : Bluebird Toom

SUBJECT: Medical Summary

Filo No.: Upl - 1, 2, 3, 4, 5

The drug used in this case was Sodium Amybal introvenously, 5% solution at the rate of 1 cc a minute. The stimulant employed was Renzedrine introvenously at the rate of 1 cc a minute plus 10 mg given orally at the completion of the technique.

The introvenous injection was begun at 1882. At 1842, 9.4 cc had been administered. At 1845 the Subject was sound asleep. It was possible to are not him but in order to obtain the exact state desired, some stimulant was administered, that is, introvenous Benzedrine. At 1405, he was accessible, but his speech was quite thick. At that time 1 cc more of Benzedrine was given introvenously following which he was in the proper state for the transference. The interrestion and other conversation was continued until 1449 when the Subject was told to to sleep, which he did. At 1453, he was given 2 cc of the Penzedrine solution, following which he become quite wide awate. At 1615, 1 Benzedrine tablet was given to be taken orally, the dose being 10 mg.

The Subject was theroughly convinced that the medication was administered tolely for the purpose of helping him in regard to the D. D. machine technique, that is, for the reduction of his nervousness. He had embedia as to his conversation under the influence of the medication.