- ج -				
				D
	RMATION REPOR	T INFORMA	TION REP	C R T
		NTELLIGENCE AGENCY		
This materi 18, U.S.C. S	l contains information affecting the National De cs. 793 and 794, the transmission or revelation	fense of the United States within the of which in any manner to an uns	e meaning of the Espionage La authorized person is prohibited	ws, Title by law.
	C- O- 1	N-F-I-D-E-N-T-I-A-L NOFORN		
COUNTRY	USSR (Uzbek SSR)	REPORT NO.		(b
SUBJECT	Miscellaneous Information or Tashkent (black marker	constr	& * April 1961	
ATST	of private houses. mil housing constr. 995, el	NO. PAGES	2	
to	Tashkent (bidet marter of private houses. mil housing constr. 995, el water availability. stree Traffic conditions; bridge	et o d REFERENCES		(b
DATE OF INFO.	November 1958-1960			
PLACE & DATE ACQ.	SOURCE EVALUATIONS ARE DEFIN		EPORT NO: NT IS TENTATIVE.	(b)(b (b)(3
	The following attachments on November 1958-1960, have been are available. Attachment 1: Construction	en deposited in the CIA of private houses, fro	. Library, where pho m May through Septe	tocopies mber
	November 1958-1960, have be are available.	en deposited in the CIA of private houses, fro s two-page report. Bec ion materials in Tashke terials on the black ma k-market wages. Wages	Library, where pho m May through Septer ause it was practic ent, most prospectiv orket; they also and hours are compa	tocopies mber ally e

INFORMATION

K

REPORT INFORMATION

REPORT

l

C-O-N-F-I-D-E-N-T-I-A-L NOFORN -2-

Attachment 2: During November 1958-May 1959 an unidentified military construction organization was building housing projects at three locations, each of which seemed to be a headquarters for the organization. One site was near the old fortress in the center of Tashkent, where a brick apartment house was under construction on a lot of about 300 square meters. Near the civil airport, south of the main railroad station and about 300 meters south of the end of streetcar line No. 10, five or six single-story brick apartment houses were being built, each about 35 by 8 by 4 meters. At a third location, about 500 meters north of prospekt A. Navoi from a point source thought was about midway betwhenfulits Sabira Rakhimova and Poligraficheskaya ulitsa, construction was taking place on several apartment houses similar to those being built near the civil airport. Included in this three-page attachment is a description of the work of a bricklaying brigade, together with a sketch of bricklaying courses used by the organization.

Attachment 3: Street and traffic conditions are given in this two-page report. By 1960 most of the streets in Tashkent were asphalt. In rainy weather many of the streets were often flooded. In rural areas, aside from the main highways, the roads were poor and covered with fine dust; during the rainy season, they were impassable. Winter snowfabls, which sometimes reached a depth of 20 to 30 centimeters, did not present any particular hazard to driving except on steep grades. Source describes truck traffic in some detail and also comments on bridges and some of the steepest grades.

Attachment 4: In this two-page report, sources make brief remarks on Tashkent's naturaligas, water, and electricity utilities as of 1960.

(b)(3)

(b)(3)

C-O-N-F-I-D-E-N-T-I-A-L NØFORN



C-O-N-F-I-D-E-N-T-I-A-L NOFORM Approved for Release: 2019/07/30 C05634059

C - O and the F at m Der Bar I and the

. 2 .

anto NOFORN

(b)(3)

3. Although the daily earnings of these construction laborers varied from day to day, illegally-employed workers made more money than those who were legally employed. For example: whereas the Government rate was 70 to 80 rubles per 1,000 bricks, the black market rate for laying 1,000 bricks was 110 to 130 rubles; whereas laborers working legally worked only about eight hours a day, an illegal construction worker could work as much as he wanted, meaning as many as 12 or 11 hours a day during the summer; and whereas Government wate rates were subject to reduction any time anyone overproduced, black market wages remained constant for the duration of a contract. It was now r difficult for illegal construction workers to collectwages for work done, because the owner was anxious to please bis workers and have his illegally-acquired construction materials used veriore they were stolen.

h. House construction in Tashkent was generally seasonal because of the extreme winter weather. Outdoor work could be done satisfactorily only from April or May through September or October each year; only a little indoor work could be done during the winter months.

C-O-NaFaloDate Tate 1

NOFORN

FIELD INFORMATION REPORT

	। ভালেল জনন বায় এবা কেন্দ্র এবে দি ⊮ে এবি	6 9467 N T 6 1936667 19257 (N)		(b)(1) (b)(3)
8.0000.000.000.0000.0000.0000.0000.000	C∞∩∞№₽∞I∞D~≚ M		att 4	(b)(3)
		OFORN		(1-)(0)
COUNTRY	USSR (Uzbek SSR)	REPORT NO.		(b)(3)
SUBJECT	Miscellaneous Information on Public Utilities in Tashkent	date of report	2 7 MAR 1961	
		NO. PAGES	2	
		REFERENCES		
date of Info.	1960			
place & Date acq.				(b)(1)
	THIS IS UNEVALUATED INFORMATION, SOURCE GRADINGS ARE	DEFINITIVE. APPRASIAL OF	CONTENT IS TENTATIVE.	(b)(3)
SOURCE.				(b)(1) (b)(3)
1.	In September 1960 the Tashkent Cable PI into the apartment houses it controlled apartment houses administratively to the Cable Plant. T all winter. In the spring of 1961 the reach this part of Tashkent, and the ap connected with this line.	h. Among these This project was main gas line w	were some of the which belonged expected to last as scheduled to	(b)(1) (b)(3)
2。	In May 1960 some parts of Tashkent were for the first time. Source had a frien Besh-Agach. This family, consisting of for cooking in May 1960. Their monthly	d who lived in a three persons.	a house on ploshchad began to use gas	â

3, Until June 1960

•

2

(b)(1) (b)(3)

was not connected with the Tashkent central water system. Water was brought in daily by truck from the Tube and Lamp Plant in Tashkent. In June 1960 the settlement was connected with the city's water mains.

C-O-M-F-I-D-S-M-T-I-A-L

- 2 - NOFORN

an to

(b)(3)

- 4. In the summer of 1960 source noticed that a trench was being dug three to four meters deep along ulitsa Shota Rustaveli. Concrete tubing about one and a half meters in diameter and with a wall thickness of about 20 centimeters was being laid in the trench. The workers on this construction project told source that this was to be a main sewer line for Tashkent.
- 5. A high tension power line came from Chirchik to Tashkent along the main Tashkent-Chirchik highway. The line reached the railroad line at the Tashkent Cable Plant and then followed the railroad southward to the main Tashkent railroad station. It then turned southeastward to the electric power substation on the corner at the south side of Bakinskaya ulitsa and the east side of Kuybyshevskoye shosse. The high tension line ended at the substation. Source did not know the name of the substation.

C-C-N-F-I-D-E-N-T-I-A-J NOFORN

• •	Approved for Release:	2019/07/30 C05634059)	
	FIELD INFORMAT	TION REPORT		(b)(1) (b)(3)
	C-0-N-F-I-D-E-N-	T-I-A-L NOF	at 2 On Nate to	(b)(3)
COUNTRY	USSR (Uzbek SSR)	REPORT NO.		(b)(3)
SURJECT	Unidentified Military Construction Organization in Tashkent	DATE OF REPORT	12 0CT 1960 3	
		REFERENCES		
DATE OF INFO. PLACE & DATE ACQ.	November 1958 - May 1959			(b)(1)
	THIS IS UNEVALUATED INFORMATION. SOURCE GRADINGS AR	E DEFINITIVE, APPRASIAL OF	CONTENT IS TENTATIVE.	(b)(3)
SOURCE				(b)(1) (b)(3)

R.

- 1. A construction organization in Tashkent, Uzbek SSR, known to source only as a Military Construction Organization (Voyennaya Stroitel'naya Organizatsiya) was building housing projects at three locations, explained below, in November 1958-May 1959. The Organization appeared to have a headquarters at each of these three sites.
 - a. A brick apartment house was under construction on a lot about 300 square meters in size located near the old fortress in the center of Tashkent. The building faced an unidentified road and was bordered on one side by a two-meter high board fence, on the other by another apartment house, and behind by an empty lot. The apartment house had a basement about three meters high and three floors and measured about 40 by 10 by 12 meters; it had 36 apartments, each with two or three small rooms. The building was to have kitchens, baths, and flush toilets.
 - b. Five or six single-story brick apartment houses, each about 35 by 8 by 4 meters, were being built near the Civil Airport south of the main Tashkent railroad station and about 300 meters south of the end of streetcar line No. 10. These buildings were constructed in a housing area of similar buildings. There were open spaces surrounding these buildings.
 - c. Several apartment houses similar to those being built near the Civil Airport were under construction about 500 meters north of ulitsa Navoi from a point source thought was about midway between ulitsa Sabira Rakhimova and Poligraficheskaya ulitsa. Source

C-O-N-F-I-D-E-N-T-I-A-L

- 2 -

at to

thought there were about three or five paved and unpaved streets running north from ulitsa Navoi. The apartment houses were on a side street running east of one of these unpaved streets.

2. There were two or three bricklaying-plastering brigades working on the construction at each of these sites:

but or two brigades were composed of Soviet soldiers who were brought to the site daily by truck from an unknown location. The soldiers did the same work the civilians did. The military brigades were supervised by a Soviet military officer whom source heard called a lieutenant colonel, who came to the site almost daily to check on the progress of the building. The officer had silver epaulets.

- 3. Source was hired at the construction site: a friend from Trest No. 157 introduced source to the Soviet foreman, who examined his papers and hired him on the spot. The only connection source had with the main offices of the Organization was the man who came to the site twice a month to pay the workers. Source thought there was some connection between this Military Construction Organization and Trest No. 157.
- 4. Source described the work his brigade did for this Organization as follows:
 - a. One and two-story dwellings were usually built without basements, directly on a concrete slab foundation. The walls of these buildings were usually 25 centimeters thick, the length of one brick. Each brick was 25 centimeters long, 12.5 centimeters wide, and about 6.2 centimeters thick.
 - b. The first step in the construction of a multi-story building was the excavation of the basement, with bulldozers. Then a trench about 80 centimeters deep and 50 to 60 centimeters wide was dug around the outside of this excavation; a cement and coarse gravel mixture was poured into this trench for the foundation of the structure. The walls for these multistory buildings varied in width from floor to floor. For the basement walls, the bricks were laid two bricks thick, with the bricks placed lengthwise, making the walls 50 centimeters thick. Usually the first course was laid as sketched and labelled A on page 3 and the second course as sketched and labelled B. The width of the upper walls depended on the number of stories: if there were to be more than three or four stories, the walls for the first floor were also 50 centimeters thick; but if there were to be fewer than three stories, the walls of the first floor were 37.5 centimeters thick, or the combined length of one brick and width of another laid in the course sketched and labelled C on page 3. The walls for the floors above the first floor were 25 centimeters thick, or one brick laid lengthwise. The courses used for these walls are labelled D and E on page 3. All floors above the basement were usually of pine wood and were supported by wooden beams. The roofs, usually gabled, were also built on wooden frames; they were made of cement tiles, each about one meter by about 50 centimeters, called shifer.

(b)(1)(b)(3) (b)(3)

(b)(3)

C-O-N-F-I-D-E-N-T-I-A-L NORN

Approved for Release: 2019/07/30 C05634059





•

.



(b)(3)



Bricklaying courses used by an unidentified Military Construction Organization in Tashkent, Uzbek SSR

- 3 -



C-O-N=F-I-D-E-N-T-I-A-L NOFORN

Approved for Release: 2019/07/30 C05634059
--



- 1. By 1960 most of the streets in Tashkent were surfaced with asphalt. Only a few cobblestone streets remained, chiefly in the center of the city around Skver Revolyutsii, where traffic was not heavy and where trucks were not permitted. In hot summer weather the asphalt streets became soft and gave way under traffic with the result that "waves" and bubbles appeared in the streets. In the winter the asphalt streets suffered considerable frost damage.
- 2. In the construction of an asphalt street the roadbed was of coarse gravel about a foot deep, leveled by a roller. The asphalt was poured on the gravel, and, in hot weather, a fine gravel was poured on top of the asphalt.
- 3. In rainy weather many of the streets in Tashkent were flooded frequently, up to one or two feet, because drainage existed only in the center of the city and on new streets. The worst flood area in Tashkent was near the main passenger railroad station at the junction of ulitsa Chervyakova, Sarykul'skaya ulitsa, and Zheleznodorozhnaya ulitsa. After heavy rains the Salar River overflowed in this area. In 1958 or 1959 source noticed that the water in this area had risen to the height of the roofs of trucks. Rail and vehicular traffic was halted, and fire brigades were called to pump the water away.
- 4. Winter snowfalls, which sometimes reached a depth of 20 to 30 centimeters, did not present any particular hazard to driving except on steep grades. After a snowfall city trucks and other special machines cleared all the main thoroughfares and dangerous spots of snow. Source never saw any vehicles equipped with chains in Tashkent.

C-O-N-F-I-D-E-N-T-I-A-L

are to

- 2 -

- 5. The steepest grades source remembered in Tashkent were the following:
 - a. On ulitsa Pushkina on the approach to the bridge over the Salar River from the south and west, a grade of about ten or twelve degrees.
 - b. On shosse Lunacharskogo between the bridge over the Salar River and the railroad tracks, a grade of about ten or twelve degrees.
 - c. On ulitsa Botkina where it passed the Tashkent cemetary, a grade of about 15 degrees. There were frequent traffic jams in this area, particularly in the winter. Even in good weather this section of the street was a bottleneck, because it was narrow and not suitable for the heavy truck traffic that had to use it (see paragraph 8).
- 6. The bridges over the Salar, Ankhor, and Burdzhar streams in Tashkent were suitable for vehicular traffic, including trucks. Source drove his GAZ-51 truck over all of them. All the bridges had unlimited vertical clearance. They were constructed of steel on concrete foundations. The roadways were asphalted, and there were sidewalks on both sides.
- 7. Truck traffic was excluded from the streets around Skver Revolyutsii and the Detskiy Park im. Gor'kogo. Truck traffic usually took one of the following routes through Tashkent:
 - a. From southwest Tashkent to northern Tashkent along ulitsa Shota Rustaveli, Sapernaya ulitsa, ulitsa Lenina, and either ulitsa Kh. Khodzhayeva, ulitsa Engel'sa and ulitsa Nasyrova, or Poligraficheskaya ulitsa toward Chimkentskoye shosse.
 - b. From southeast Tashkent along Kuylyukskoye shosse and ulitsa Kuybysheva. Trucks then either turned left at ulitsa Chekova to Sapernaya ulitsa and followed the same route as in a. above or turned right on ulitsa Zhukovskogo to ulitsa Kablukova and ulitsa Engel'sa. Traffic entering Tashkent from the southeast along Kuylyukskoye shosse and going toward Chirchik turned right at ulitsa Zhukovskogo and then followed ulitsa Karla Marksa, ulitsa Botkina, and ulitsa Voroshilova to the Troitskiy Povorot.
 - c. Trucks and other vehicles by-passed the central part of Tashkent on the north by ulitsa Kablukova and ulitsa Uritskogo.
 - d. Farther north truck traffic moving in an east-west direction used ulitsa Labzak and Karamurtskaya ulitsa. Ulitsa Labzak was asphalted, but in poor condition; Karamurtskaya ulitsa was part cobblestone and part asphalted. Both streets were wide enough for large trucks to pass.
- 8. No trucks were permitted on shosse Lunacharskogo, a good asphalt street about eight meters wide. The street had no streetcar or bus routes. It had a sidewalk from Pushkinskiy Park to the canning plant. Ulitsa Voroshilova, which carried heavy truck traffic as far as the Troitskiy Povorot, was always in bad condition.
- 9. Ulitsa Vavoi, the widest and best street in Tashkent, had two streetcar tracks in the center, a trolley-bus line on either side of the streetcar lines, and/auto road about seven to eight meters wide on either side of the trolley-bus lines. There were sidewalks on both sides and shade trees planted along it. The street was completely asphalted and provided with adequate drainage.
- 10. In rural areas, aside from the main highways, the roads were very poor and covered with a very fine dust. During the rainy season they were a sea of mud and impassable.

C-C-I-P-I-D-2-M-T-E-A-L NOFORM

(b)(3)