

GAVRILOV, M. A.

\*Gavrilov, M. A. Isolation of loops acting on a given element in relay circuits. Translated by Morris D. Friedman, 572 California St., Newtonville 60, Mass. 1956. 5 pp.  
Translated from Dokl. Akad. Nauk SSSR (N.S.). 87 (1952), 413-416.

*des 2*  
*1-F/W*

*DM*  
*MT*



GAVRILOV, M.A.; KURDYUKOV, K.F.

Conference on the telemechanization of electric power systems. Izv.AN  
SSSR Otd.tekh.nauk no.4:642-651 Ap '59. (MLRA 6:8)  
(Electric engineering) (Automatic control)

GAVRILOV, M.A.  
KARLINSKAYA, M., kandidat tekhnicheskikh nauk, laureat Stalinskoy premii; MAG-  
NICHKINA, V., nauchnyy sotrudnik; YEFREMOV, E.A.; NEKRASOV, K.A.; GAVRI-  
LOV, M.A., doktor tekhnicheskikh nauk, professor, consultant.

Time-impulse system of pressure telemetry for liquids and gases. Zhil.  
-kom. khoz. 3 no.3:5-8 Mr '53. (MLRA 6:5)

1. Akademiya kommunal'nogo khozyaystva, Laboratoriya avtomatiki (for Kar-  
linskaya, Magnichkina, Efremov, Nekrasov). (Pressure gages)

GAVRILOV, M.A. (Moskva)

~~Designing~~ Designing relay circuits with bridge connections proceeding from  
nonoperating conditions. Avtom. i telem. 14 no.2:188-198 Mr-Ap  
'53. (MLRA 10:3)

(Electric relays) (Automatic control)

GAVRILOV, M.A. (Moskva); KURDYUKOV, K.P. (Moskva)

Criteria for evaluating remote control installations. Avtom. i telem.  
14 no.4:424-439 JI-Ag '53. (MLRA 10:3)  
(Remote control)

GAVRILOV, M. A.

The Committee on Stalin Prizes (of the Council of Ministers USSR) in the fields of science and inventions announces that the following scientific works, popular scientific books, and textbooks have been submitted for competition for Stalin Prizes for the years 1952 and 1953. (Sovetskaya Kultura, Moscow, No. 22-40, 20 Feb - 3 Apr 1954)

<u>Name</u>	<u>Title of Work</u>	<u>Nominated by</u>
Gavrilov, M. A.	"The Theory of Relay Contact Systems"	Institute of Automatics and Telemechanics, Academy of Sciences USSR

SO: W-30604, 7 July 1954

GAVRILOV, M. A.

"General Questions of Research Work in the Field of Introduction of Remote Control in Power Systems" from the book Remote Control of Power Sytems, published by the AS USSR, 1954.



GAVRILOV, M. A.

"Fundamental Tendencies in the Raise of Speed of Action of Remote-Control Installations" from the book Remote Control of Power Systems, published by the AS USSR, 1954.

GAVRILOV, M.A., otvetstvennyy redaktor; IL'IN, V.A., redaktor; KRASIVSKIY, S.P., redaktor; KURDYUKOV, K.P., redaktor; MALOV, V.S., redaktor; RAYNES, R.L., redaktor; BRYLEYEV, A.M., redaktor; GRAKOVA, Ye.D., tekhnicheskiiy redaktor

[Telemechanics in power engineering systems] Telemekhanizatsiia energosistem; materialy soveshchaniia 1952 g. po telemekhanizatsii energosistem. Moskva, Izd-vo Akademii nauk SSSR, 1954. 213 p.

(MLRA 8:3)

1. Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki.  
(Remote control) (Electric power)

USSR/Electronics - Relay circuits synthesis

FD-1397

Card 1/1 : Pub. 10 - 6/12

Author : Gavrilov, M. A. (Moscow)

Title : ~~Principal formulas in the synthesis of relay circuit schemes~~

Periodical : Avtom. i telem., 15, No 6, 521-537, Nov-Dec 1954

Abstract : The author treats the principal formulas in the synthesis of circuits which permit one to obtain on the basis of tables of connections the primary formulas of the circuits and investigates the realizability of the tables of connections (switching tables). Four references: V. I. Shestakov, "Algebraic method of synthesis of autonomic systems of two-position relays," *ibid.*, 15, No 4, 1954. V. N. Roginskiy, "Taking into account the nonutilized states in the synthesis of relay-contact circuits," *ibid.*, 15, No 3, 1954. M. A. Gavrilov, *Teoriya reley-no-kontaknykh skhem* [Theory of relay-contact circuits], Acad. Sci. USSR Press, 1950. Keister, Ritchie, Washburn, *The Design of Switching Circuits*, N. Y. 1953.

Institution :

Submitted : October 9, 1953

GAVRILOV, M. A.

Gavrilov, M. A. Relay schemes with vacuum-tube circuits. *Avtomat. i Telemekh.* 16 (1955), 328-343.

(Russian)  
This paper discusses the reduction of the number of relay contacts in multi-input-switch, multi-output-coil networks by the use of diodes. It is stated and exemplified that by the insertion of resistance and (usually) many rectifiers, such a network can be synthesized in a manner using exactly one transfer contact on each input variable.

V. E. Beneš (Murray Hill, N.J.)

P.B.S.

Gavrilov, M.A.

USSR/ Engineering - Telemechanics

Card 1/1 Pub. 124 - 2/39

Authors : Gavrilov, M. A., Dr. Tech. Sc.

Title : Scientific problems of the telemechanization of production

Periodical : Vest. AN SSSR 25/5, 16 - 24, May 1955

Abstract : The advantages of telemechanics or remote control systems are pointed out. Reference is made to a nation-wide conference called in 1954 by the Institute of Automatization and Telemechanics of the Academy of Sciences, at which the conclusion was reached that the extremely severe demands made on technology by telemechanical equipment cannot be met by existing facilities. An analysis is made of the various fields in which telemechanization is considered most urgent, the railroads and waterways being given a prominent place in the discussion.

Institution : .....

Submitted : .....

Gavrilov, M.A.

USSR/Engineering - Automatization

Card 1/1      Pub. 86 - 3/36

Authors      : Gavrilov, M. A., Prof.

Title        : Automatization and telemechanics

Periodical   : Priroda 44/6, 19 - 30, Jun 1955

Abstract    : The advantages of automatization are pointed out. So-called cyclic automatization and the role of electricity in its execution are explained. Machinery of the type which permits data to be fed into it in order to execute varied operations is discussed in detail. It is shown how automatic machinery can be so wired that a single person, through remote control, can do the work of many men operating under the old manual systems with the manual operations restricted to the repair and adjustment of the machinery. Illustrations: diagrams.

Institution: .....

Submitted: .....

GAVRILOV, M. A. Doctor of Technical Sciences

"Fundamental Scientific Problems Arising From Problems of Telemechanization in the National Economy of the USSR." a paper given at the Conference on Scientific Problems of Production Automation, Moscow State U. 15-20 Oct 56.

GAVRILOV, M. A., Dr. of Tech. Sci.

"Analytic and Graphic Analytic Methods of Synthesis of Decoding Devices" a paper presented at the Conference on Methods of Development of Soviet Mathematical Machine-Building and Instrument-Building, 12-17 March 1956.

Translation No. 596, 8 Oct 56



GAVRILOV, M. A. (Prof.)

"Condition and Problems of Development of the Structural Theory of the Design of Automatic and Remotely-controlled Discrete Action (Digital) Devices,"

paper read at the Session of the Acad. Sci. USSR, on Scientific Problems of Automatic Production, 15-20 October 1956.

Avtomatika i telemekhanika, No. 2, p. 182-192, 1957.

9015229

*GAVRILOV, M.A.*  
PHASE I BOOK EXPLOITATION

813

Soveshchaniye po telemekhanizatsii v narodnom khozyaystve SSSR.  
Moscow, 1954. Telemekhanizatsiya v narodnom khozyaystve;  
materialy soveshchaniya... (Remote Control in the National  
Economy; Materials of a Conference) Moscow, Izd-vo AN SSSR,  
1956. 481 p. 3,000 copies printed.

Sponsoring Agency: Akadmeiya nauk SSSR. Institut avtomatiki i  
telemekhaniki.

Resp. Ed.: Gavrilov, M.A.; Eds: Il'in, V.A., Zhozhikashvili, V.A.,  
Petrovskiy, A.M., Malov, V.S., Ostianu, V.M.; Ed. of Publishing  
House: Pobedimskiy, V.V.; Tech. Ed.: Kiseleva, A.A.

PURPOSE: This book is intended for scientists and engineers engaged  
in the research and development of remote control.

COVERAGE: The monograph is a collection of papers presented at the  
All-Union conference called by the Institute of Automation and

Card 1732 1/1

Remote Control in the National Economy (Cont.) 813

Remote Control of the USSR Academy of Sciences on November 29, 1954. The articles deal with theoretical problems of remote control and various problems of research. They discuss the development of new methods in telemetering and review the present state of the research, development, and manufacture of remote control equipment. Problems concerning remote control communication channels and the general theory of telemetering devices and controls are treated very briefly, while problems in the manufacture of remote control apparatus are not included. The articles were discussed at the conference and the results of these discussions are also presented. For references see Table of Contents.

TABLE OF CONTENTS:

Foreword	3
PART 1. GENERAL PROBLEMS OF REMOTE CONTROL	
<u>M.A. Gavrilov</u> , Doctor of Technical Sciences. Present State and Basic Problems of Research in the Field of Remote Control	11

Card 2/32 7/1

Remote Control in the National Economy (Cont.)

813

The article discusses a theory of signal shaping which includes methods of combining pulses and determining the correlation between the number of signals and pulses needed for signal shaping. It deals with problems of obtaining binary numbers tables in which the change of 0 into 1 or vice versa would give the binary number missing in the table. Methods of obtaining a table of nonchanging signals are also given. It is stated that the analysis of stability of remote control signals conducted by the Institute of Automation and Remote Control of the USSR Academy of Sciences is still in the initial stage of development and is chiefly limited to the investigation of relay-contact stability. There is a brief discussion of the construction and transformation of relay systems, methods of constructing ganged units for pulse generation, control, starting, and stopping, and protection, and the possibilities of employing contactless elements. It is indicated that, in general, the development of remote control systems in the USSR is still in the initial stage. There are 9 references, of which 6 are Soviet and 3 English.

Card 5732

Remote Control in the National Economy (Cont.) 813

V.A. Il'in. Basic Problems of Scientific Research. Work in the Field of Telemetering 51

The article discusses in general terms problems of the reliability and efficiency of telemetering, as well as possible methods of improvement. There are 8 references, of which 7 are Soviet and 1 English.

B.S. Sotskov. Reliability of the Operation of Relay Element Contacts 59

The author derives equations for contact wear under different operating conditions, the limiting value of current in the circuit, and the actual contact area and pressure. There is a brief discussion of the relationship between contact wear and reliability of relay operation. There is 1 Soviet reference.

~~Cand 4/32~~

Remote Control in the National Economy (Cont.) 813

A.M. Petrovskiy. Some Possibilities of Applying the Intelligence Theory to Remote Control 71

The article discusses general aspects of the transmission of coded intelligence, as well as the possibilities of employing coding technique in the field of remote control. There are 5 Soviet references (including 1 translation).

V.N. Chepurin. Manufacture of Remote Control Apparatus by the Elektropul't Plant 77

The author states that during the five-year period, 1951-1956, the Elektropul't Plant developed over 70 types of apparatus for remote control measurements, tele signalling, and for use in control rooms. It is stated that the measuring instruments for short-distance operation can transmit measurements for 17-20 kilometers. Their accuracy is about  $\pm 1.5-2\%$ . Since January, 1954, the plant has been manufacturing units with compensating

Card 5/32

Remote Control in the National Economy (Cont.) 813

transformers which make it possible to measure up to 10 similar parameters with a single receiving unit. The error of this unit is not greater than  $\pm 3\%$ . At the end of 1951 the Orgres-Electropul't Frequency System began manufacturing the narrow-band TChO-3 frequency instrument for transmitting measurements. The TChO-3 instrument operates on 13 different frequencies in the range of 340-3150 cycles. It makes possible the transmission of measurements for practically any distance. The expected error of this instrument is about  $\pm 2.5\%$ , but the practical error does not exceed  $\pm 2\%$ . It is stated that the PMS and PDChS type two-scale receiving devices were replaced by the PMDG and PDDG type single-scale instruments. The PMDG type has an error of  $\pm 0.75\%$ . The circuit of the self-compensating frequency meter of the PPCh type was also improved. The author also lists various devices of the VRT-53 type time-distributing system used for telesignaling. There is a discussion of a remote control and telesignaling unit-type device for the UTB-55 time-distributing system and the VUST-1 and VUST-2 rectifiers with stabilizing circuits. A short description is given of control room equipment, such as memory

Card ~~5/10~~

Remote Control in the National Economy (Cont.) 813

devices and dispatchers' supervision boards of the ShchD-1 and ShchD-2 types. There are no references.

Ya. L. Bykhovskiy. Modern High-frequency Channels Using Electric Transmission Lines 85

The article presents a general discussion of problems encountered in the transmission of signals. Such factors as weather conditions, faults, and interference and their effect on the efficiency of high-frequency transmission are described. A list, (with specifications), of various apparatus used for high-frequency transmission and reception is given on p.87. Their operation and structural diagrams are discussed. There are no references.

PART 2. REMOTE CONTROL

M.A. Gavrilov, Doctor of Technical Science. State of the Theory of Relay Circuits 99

Card ~~7/99~~



Remote Control in the National Economy (Cont.) 813

The article discusses the fundamentals of relay circuit theory and gives some examples to illustrate its possible application in the construction of blocks of remote control devices. Problems of synthesis, analysis, and transformation of relay circuits are discussed. There are 5 Soviet references.

G.N. Povarov. Present State of the Problem Concerning the Minimum Number of Structural Components in Relay Switching Circuits 134

The article discusses the problem of evaluating relay circuits by taking into consideration the number of contacts present in a circuit. There are 11 references, of which 6 are Soviet, 3 English, 1 French, and 1 Dutch.

V.N. Roginskiy. Relay Counting Circuits 139

A general discussion of circuits for counting current current pulses is presented. Steps involved in the design of

Card ~~8/92~~ 1/1

Gavrilov, M.A.

Postroenie Signalov Teleupravleniya s  
Kombinirovannym Ispol'zovaniem Im-  
pul'snykh Priznakov. M. A. Gavrilov.  
Automatika i Telemekhanika, Dec., 1966,  
pp. 1,091-1,113. In Russian. Analysis  
of the theory of construction of telecontrol  
signals in combination with pulse indica-  
tors. 2

1 4

RAW  
MT

GAVRILOV, M.A., doktor tekhnicheskikh nauk.

Functions of "memory" and comparison in automatic machines.  
(MLRA 9:11)

Priroda 45 no.10:30-39 0 '56.  
(Electronic calculating machines)

GAVRILOV, M. A.

TOPCHIEV, A. V., akademik, glavnyy redaktor; GAVRILOV, M. A., doktor tekhnicheskikh nauk, otvetstvennyy redaktor; MAKUN, Ye. V., tekhnicheskiy redaktor

[Session of the Academy of Sciences of the U.S.S.R. on scientific problems in automatization of the production, October 15-20, 1956. Scientific problems in the telemechanization of production processes] Sessia Akademii nauk SSSR po nauchnym problemam avtomatizatsii proizvodstva, 15-20 oktiabria 1956 g.; nauchnye problemy telemekhanizatsii proizvodstvennykh protsessov. Moskva, 1957. 215 p. (MIRA 10:4)

1. Akademiya nauk SSSR. (Remote control)

GAVRILOV, M. A., Dr. Eng. Sci., Prof., AS USSR

"A Survey of the Research in the Theory of Relay Networks in the USSR,"  
a paper submitted at the International Symposium on the Theory of Switching,  
Harvard University, 2-5 Apr 57.

SOV/112-58-1-982

Translation from: Referativnyy zhurnal, Elektrotehnika, 1958, Nr 1, p 145 (USSR)

AUTHOR: Gavrilov, M. A.

TITLE: Fundamental Scientific Problems Arising From Telemechanical Applications in the National Economy of the USSR (Osnovnyye nauchnyye problemy, vytekayushchiye iz zadach telemekhanizatsii v narodnom khozyaystve SSSR)

PERIODICAL: Sessiya AN SSSR po nauch. probl. avtomatiz. proiz-va, 1956, Vol 4, Moscow, AS USSR, 1957, pp 15-43

ABSTRACT: Bibliographic entry.

AVAILABLE: Library of Congress

1. Telemeter systems--Economic aspects

Card 1/1

SOV/44-58-4-2777

Translation from: Referativnyy zhurnal, Matematika, 1958,  
Nr 4, p 32 (USSR)

AUTHOR: Gavrilov, M.A.

TITLE: The Developmental State and Problems of the Structural  
Theory of the Construction of Automatic and Telemechanical  
Relay Devices (Sostoyaniye i zadachi razvitiya struktural'noy  
teorii postroyeniya avtomaticheskikh i telemekhanicheskikh  
ustroystv relayno-go deystviya)

PERIODICAL: Sessiya AN SSSR po nauke. probl. avtomatiz. proiz-va,  
1956, T.2, Moscow, AN SSSR, 1957, 256-284

ABSTRACT: A study is made of structural theory applied to the  
construction of relay devices, which are technical means of  
transforming and transmitting discrete effects in modern  
systems of automation and telemechanics. Problems are form-  
ulated for the optimum construction of a relay device. The  
facts are presented on the development of structural theory  
in the USSR and abroad. For the solution of the problem of

Card 1/2

SOV/44-58-4-2777

The Developmental State and Problems (Cont.)

synthesis, analysis, and equivalent transformations of the circuits of relay devices, structural theory offers algebraic, graphic-analytic, geometric and numerical methods. A short review is given of the methods of synthesis of relay circuits (determination of the realizability of their operation, the derivation of the primary block diagram of the device), methods of equivalent transformation of relay circuits (transformation of parallel-series circuits, construction of bridge circuits), and methods of circuit analysis. Methods of the synthesis and analysis of circuits with various relay elements are explained. Information is given on the development of machine methods of relay circuit analysis and synthesis in the USSR and abroad.

Lyu. L. Tomfel'd

Card 2/2



*GAVRILOV, M. A.*

30-2-2/49

AUTHOR: Gavrilov, M. A. , Doctor of Technical Sciences

TITLE: **Basic Problems of the Theory of Telemechanic Devices.**  
(Osnovnyye voprosy teorii telemechanicheskikh ustroystv)

PERIODICAL: Vestnik Akademii Nauk SSSR, 1958. Nr 2, pp 13-22 (USSR)

ABSTRACT: The main task of equipments for remote control is the transmission of communications on the operational state of the production aggregates and of their control stations by means of transmitting special signals. For this purpose cable transmissions, as well as radio- and high frequency channels are employed. Even in the simplest cases the equipment for remote control and -signalling represents a complicated system of relais blocks, as is to be seen from figure 1. The block system of an equipment for remote control with transmission of continuous signals, as it is presently used in teleentering devices, is shown in figure 2. Both devices shown in figures 1 and 2 do not satisfy the modern requirements any longer. In many cases such devices become necessary, which simulta-

Card 1/4

Basic Problems of the Theory of Telemechanic Devices

30-2-2/49

neously and by means of the same transmission canals perform the task of remote control and -signalling, as well as the telemetering and remote regulation. The remote-control-laboratory of the Institute for Automatics and Telemechanics, which is under the direction of the author, has recommended the system shown in figure 3, which guarantees a manipulation of objects distributed on a wide territory. The scientific collaborators R. V. Bilik, Ye. V. Babicheva, and V. N. Silayev took part in this work. Furthermore, the author mentions 3 paragraphs of the theory of equipments for remote control, and describes and explains them in detail.

- 1) Theory of the structure of signals for remote control.
- 2) Structural theory of relais devices.
- 3) Transformation theory of remote measuring quantities.

Signal systems jointly operating are not yet applied in practice, however, those ones have been theoretically investigated in detail by the works of V. I. Siferov, R. R. Varshamov, M. A. Gavrilov and a number of foreign scientists. In the remote-control-laboratory simple schemes of so-called discrete relais correctors and others were elaborated (V. M.

Card 2/4

30--2-2/49

**Basic Problems of the Theory of Telemechanic Devices**

Ostianu, V. N. Rodin and B. L. Timofeyev). The task of investigating the stability of disturbance of signal transmissions by fluctuating disturbances was solved to a considerable extent by the works of V. A. Kotel'nikov, V. N. Bunimovich, V. I. Siforov, S. Rays and others. V. N. Roginskiy, G. N. Povarov, M. A. Gavrilov, P. Svoboda and others worked at the method of developing bridge-structures. The author takes the mechanization of the analytical and synthetic processes as a fundamental presumption for the development of the structure theory of relais devices. P. P. Parkhomenko of the remote-control-laboratory has developed an universal machine for the structure analysis of relais devices. The first machine for the synthesis of relais schemes was created in the Laboratory for Problems of Cable Transmissions of the AN USSR (V. N. Roginskiy, V. G. Lazarev, A. A. Arkhangel'skaya). Moreover, the author states that a great number of complicated and hitherto not solved scientific problems are to be solved, and he regrets that the state of the works in this field must be considered to be unsatisfactorily. Measures must be taken to promote the development of

Card 3/4

30-2-2/49

**Basic Problems of the Theory of Telemechanic Devices**

those works in academic institutions, academies and branch institutes. In the electrotechnical and polytechnical institutes professorial chairs for telemetering should be established, too. There are 3 figures.

AVAILABLE: Library of Congress

1. Telemetering systems-Theory
2. Telemetering-Equipment

Card 4/4

NEYMAN, L.R.; POLIVANOV, K.M.; ZHEKULIN, L.A.; GONOROVSKIY, I.S.; SOLOV'YEV,  
I.I.; TSYPKIN, Ya.Z.; GAVRILOV, M.A.; UL'YANOV, S.A.; LAVROV, V.M.

Professor G.I. Atabekov; on his 50th birthday. Elektrichestvo no.7:  
93 JI '58. (MIRA 11:8)

(Atabekov, Grigorii Iosifovich, 1908-)

SCV-25-58-8-5/61

AUTHOR: Gavrilov, M.A., Doctor of Technical Sciences, Head of the Laboratory

TITLE: A Productive Principle (Plodotvornyy printsip)

PERIODICAL: Nauka i zhizn', 1958, Nr 8, pp 4-7 (USSR)

ABSTRACT: There are two methods of building automatic installations, continuous action and relay action. The principle of relay action is being used more and more. The author deals with the working of installations built on the principle of relay action, showing how they differ from ordinary action. He points out that the principle difference consists in that the relay action has only 2 conditions; either closed or disconnected. The article contains a schematic diagram showing a relay system of consecutive action. The author emphasizes the fact that very complicated processes may be reduced to the elementary operation of functioning or non-functioning relays. He maintains, that, in the future, automatic machines on a relay principle will carry out complicated and extremely labor-consuming statistical work, conduct trains, control entire mining operations and many other production

Card 1/2

A **Productive Principle**

SOV-25-58-8-5/61

processes.

There are 3 diagrams, 1 graph and 2 photos.

ASSOCIATION: Institut avtomatiki i telemekhaniki AN SSSR (Institute of Automation and Telemechanics AS USSR)

1. Control systems--Theory
2. Industry--USSR
3. Industry  
--Control systems

Card 2/2

*Gavrilov M. A.*

30-1-36/39

AUTHOR: Ostianu, V. H.

TITLE: Problems in the Theory of Relay Devices (Problemy teorii ustroystv releyevoy teystviya).  
All-Union Conference in Moscow (Vsesoyuznoye soveshchaniye v Moskve).

PERIODICAL: Vestnik AN SSSR, 1958, Vol. 28, Nr 1, pp. 131-132 (USSR).

ABSTRACT: The Institute for Automation and Remote Control AN-USSR convened a Conference which took place from October 3 to October 9 1957. The following problems figured on the agenda: Synthesis, analysis, reconstruction of the relay structure and effect, the best construction and structure, automation of analytical processes, etc: The council was attended by representatives of scientific institutions and industrial firms, as well as by scientists from other countries. The following reports were made:

- 1) A. E. Letov stressed the importance of the part played by relay devices in the automation of the finishing process.
- 2) K. A. Gavrilov characterized the present stage and the main trends of the development of these devices, and said that with respect to works published in this field, the USA and the USSR ranged first, while the Roumanian Peoples' Republic ranged third.
- 3) S. A. Yanovskaya investigated the characteristic features of the

Card 1/4



Problems in the Theory of Relay Devices.  
All-Union Conference in Moscow

3c-1-36/39

- development of mathematical logics as well as the fields of their technical application.
- 4) G. K. Moisil, Regular Member of the Roumanian Academy, stressed the influence exercised by Soviet scientists (V. I. Shestakov, M. A. Gavrilov) on the development in his country.
  - 5) A. A. Markov spoke about the inversion of complicated systems of functions.
  - 6) A. Svoboda (Czechoslovakia): His report on certain possibilities of using contact grids was read.
  - 7) Yu. A. Bazilevskiy: On temporary logical functions.
  - 8) K. Popovich (Roumania) suggested an improved representation of functions.
  - 9) A. V. Kuznetsov: On the impossibility of constructing an algebraic apparatus with a finite number of functions.
  - 10) S. V. Yablonskiy: On the application of the existing theory for new elements with relay effect.
  - 11) T. L. Maistrova: On the application of non-equivocal logics.
  - 12) G. K. Moisil: his report on the synthesis of relay schemes was read.
  - 13) M. A. Gavrilov: Investigated methods of Constructing bridge circuits.

Card 2/4

30-1-36/39

Problems in the Theory of Relay Devices.  
All-Union Conference in Moscow.

- 14) P. Konstantinesku (Roumania): On the method of constructing multipole contacts.
- 15) V. N. Regin'skiy: On the graphic method of constructing  $(I,k)$ -poles.
- 16) A. D. Kharkovich: On the application of the methods of probability diagrams.
- 17) V. I. Shestakov: On the algebraic method of analysis and synthesis.
- 18) Ya. I. Mekler: On the graphic method of the construction of relay contact schemes.
- 19) V. S. Lazarev: On the method of determining the minimum relay number.
- 20) M. Nedelku (Roumania): On electronic circuits with relay effect.  
G. Kranin.
- 21) L. Kalmar, Corresponding Member of the Hungarian Academy of Science: On the logical Seged machine.
- 22) F. Svoboda (Czechoslovakia): On the working principle of a machine for the synthesis of contact circuits.
- 23) A. A. Arkhangel'skaya: On a machine for the synthesis of contact poles.

Card 3/4

30-1-36/39

Problems in the Theory of Relay Devices.  
All-Union Conference in Moscow.

- V. G. Lazarev.  
V. N. Roginskiy.  
24) P. P. Parkhomenko. On problems concerning the automation of the analysis of relay schemes.  
T. T. Tsukanov.  
The extent to which the field of the theory of devices with relay effect has been investigated is described as insufficient. In connection with the council an exhibition of devices and publications dealing with this field was organized.

AVAILABLE: Library of Congress.

1. Automation-Conference
2. Scientific reports-USSR

Card h/h

8(3)

SOV/20-123-6-19/50

AUTHORS:

Gavrilov, M. A., Ostianu, V. M.,  
Rodin, V. N., Timofeyev, B. L.

TITLE:

The Realization of Discrete Schemes of Correctors  
(Realizatsiya skhem diskretnykh korrektorov)

PERIODICAL:

Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 6, pp 1025-1028  
(USSR)

ABSTRACT:

Correctors most efficiently can be put into practice in a class of one-period schemes. The schemes of discrete correctors which belong to the class of conversion schemes have some special features. The present paper deals with these peculiarities and also with the realization of one of the corrector types on contact relays, crystal elements, and hysteresis elements. The construction of a corrector on the basis of an electromechanical relay can be reduced to the construction of a (1,n) pole which puts into practice the obtained functions of the effect upon the n executive elements. (n denotes the number of the discharges in the binary representation of the signal) Formulae are given for the properties of these functions. The problem of the construction of correctors on the basis of electronic or crystal elements can be reduced to the construction of a system of valves

Card 1/2

The Realization of Discrete Schemes of Correctors

SOV/20-123-6-19/50

(ventil'naya set') connected to triggers which fix the incident signal. The sequence of the operations necessary for this construction is discussed. The last part of this paper deals with correctors which are constructed on the basis of hysteresis elements with rectangular loops. There are 4 figures and 8 references, 5 of which are Soviet.

ASSOCIATION: Institut avtomatiki i telemekhaniki Akademii nauk SSSR  
(Institute of Automation and Telemechanics of the Academy of Sciences, USSR)

PRESENTED: July 17, 1958, by V. S. Kulebakin, Academician

SUBMITTED: July 17, 1958

Card 2/2

PHASE I BOOK EXPLOITATION

SOV/4097

Gavrilov, Mikhail Aleksandrovich, Doctor of Technical Sciences

Novyye idei v oblasti avtomatiki (New Ideas in the Field of Automation)  
Moscow, 1959. 43 p. 10,000 copies printed.

Sponsoring Agency: Obshchestvo po rasprostraneniyu politicheskikh i  
nauchnykh znaniy RSFSR.

Ed.: L. M. Gorodenskiy; Tech. Ed.: N. A. Flakserman.

**PURPOSE:** This book is intended for the general reader.

**COVERAGE:** The book discusses in general terms the theory, fundamental  
elements, and components of electronic computers and automatic  
control devices and the concept of program control for these  
automatic devices in operation. No personalities are mentioned.  
There are no references.

**TABLE OF CONTENTS:**

Introduction  
Card 1/2

3

New Ideas in the Field of Automation

80V/4097

Modern Automatic Devices and Their Characteristic Features

5

Fixation

16

Logical Operations

28

Program

35

Conclusion

42

AVAILABLE: Library of Congress (TJ 213 .5. G 35)

Card 2/2

AC/pw/ec  
8-18-60

GAVRILOV, M. A.

807/30-39-1-48/57

Marosevsky, I. S.

Development of the Theory and the Application of Discrete Automatic Systems (Marosevsky I. S. in Russian)

Vestnik Akademi nauk SSSR, 1959, Nr 1, pp 134-139 (USSR)

The conference dealing with this problem took place in Moscow from September 25 to 26, 1959 and was opened by V. L. Kravchenko, chairman of the National'ny komitet SSSR po avtomaticheskoy teorii i primeneniyu (National Committee of the USSR for Automatic Control), in the Plenary Meeting of the USSR Academy of Sciences. The work of the conference was developed in sections. Reports were held by I. S. Marosevsky and V. L. Kravchenko. The results in the case of pulse systems with variable parameters.

Marosevsky dealt in his report with his successful procedure of analysis of pulse systems with several elements. He also spoke about the problem of an increase of the stability of the systems.

Kravchenko investigated the possibilities of pulse systems, which are controlled by means of a discrete control system with a discrete control device.

Kravchenko investigated the possibilities of pulse systems (vychislitelnye) in a system with several elements. He also spoke about the problem of an increase of the stability of the systems.

Kravchenko dealt with the results of approximation methods of discrete systems.

Kravchenko investigated the influence of perturbations on the stability of discrete systems for objects with retarded control.

Kravchenko investigated the methods of determining the effect of control on the stability of an automatic control system.

Kravchenko analyzed modern telemechanical equipment from the viewpoint of the special finite automatic machines consisting of systems of a finite number of elements.

Kravchenko reported on the effect and construction of a digital machine for the analysis of relay circuits.

Kravchenko investigated accurate finite automatic machines for an arbitrary structure.

Kravchenko investigated the possibilities of pulse systems described as "mat", "mat", "mat" by means of which further logical functions can be realized.

Kravchenko in the papers presented considered the technical aspects of the problems mentioned in the results obtained. In the future he will continue to work on these problems and will further develop the theory and the application of discrete automatic systems.

26(1)

ABSTRACT:

TITLE:

PERSONAL:

ABSTRACT:

Card 1/3

Card 2/3

Card 3/3



G. A. KILOV, M.D.

Report to be presented at the 1st Intl Congress of the Intl Federation of Automatic Control, 25 Jun-5 Jul 1960, Moscow, USSR.

BYKOV, M. L. - "On stability in electronic calculating devices in the solution of "inverse" problems in indefinite form"

CHERNIKOV, A. - "Control of rolling mills"

CHERNIKOV, V. K. - "Concerning some problems of the organization of self-adjusting and self-teaching systems of automatic control, based on principles of random search"

DAVIDOV, N. I. - "Development of automatic control systems for boiler units"

DUBROVNIKOV, Ye. G. - "Determination of optimum adjustments of industrial automatic regulation systems according to initial data obtained from experience"

EMERSON, A. I., and MACHVASHIN, N. N. - "Methods of organizing dynamical functions in the theory of nonlinear regulating systems"

EMERSON, A. I. - "Methods of regulation and inter-communications of multi-motor electric drive and technology in continuous rolling mills"

FEL'DBAUM, A. M. - "Problems of statistical theory of automatic optimization systems"

FEL'DBAUM, V. I. - "Automation of a reversible cold rolling mill for nonferrous metals"

FILIPPOV, A. P. - "Application of the theory of differential equations with a discontinuous right side to nonlinear problems of automatic regulation"

GAVRILIN, M. A. - "Structural surplus and operational reliability of relay devices"

GAVRILIN, M. A. - "Automation of irrigation systems"

GILBERT, M. G., G. R., KAPRANOV, V. K., KOSTIN, M. P., KRYZAN, L. M., and SMIT, N. G. - "Power regulation of disturbance and problems of the stability of electric power systems"

GURNEV, S. A. - "Logical method of synthesis of functional converters"

IL'IN, V. A. - "Methods of transmission of information and the structure of telemechanical systems for dispersed structures"

IZHOV, V. L., and LITVICH, (I.M.) - "The code-impulse system of tele-measurement for dispatched operations of trunk lines of tele-communication systems"

ITANKOV, A. C. - "Concerning the application of the theory of combined regulation systems for systems of automatic control"

IZHURIN, E. B., and IZHURIN, G. A. - "A quasi-equilibrated bridge as an element of automatic control"

IZHURIN, V. V. - "Concerning the process of extrin regulation of inert objects in the presence of disturbance"

IZHURIN, I. N. - "Some problems of the theory of statistical linearization and its application"

KILLY, P. M. - "Some problems of the theory of impulse systems with time selectors"

KHARIN, A. B., KOLJAVIN, S. Y., VOZNESEVICH, L. M., KOPPE, D. M., KUZNETZOV, S. P., KURKOVA, Ye. L., STERN, A. Ya., and YAKOVLEV, Ya. S. - "The problem of distributed control"

KHARIN, A. B., KOLJAVIN, S. Y., and KURKOVA, Ye. L. - "System of automatic control and regulation of blast distribution in the Bayside of the Kuznetsk"

KHARIN, A. B. - "Investigation of the dynamics of the hydraulic shock of a copying lathe"

KHARIN, A. B. - "Dynamics of continuous systems of automatic regulation with extrin self-adjustment of corrective devices"

KHARIN, A. B. - "Concerning the selection of parameters of optimum stability systems"

KHARIN, A. B. - "The dynamics of devices imitating firing apparatus"

KHARIN, V. S. - "The invariant theory of automatic regulation and control systems"

KHARIN, V. S. - "Automatic calculating devices as a means of insuring the stability of complex automation systems"

KHARIN, V. S. and KURKOVA, Ye. L. - "Mechanization of processes of analysis and synthesis of the structure of relay devices"

16.6800

35882

S/044/62/000/002/079/092  
C111/C333

AUTHOR: Gavrilov, M. A.

TITLE: Structural excessiveness and reliability in the operation of relay devices

PERIODICAL: Referativnyy zhurnal, Matematika, no. 2, 1962, 58, abstract 2V330. (M., AN SSSR, 1960, pp. 16, ill.)

TEXT: Proposed is a method which admits to solve the following problem: Let the working conditions of a relay device and the number  $d$  of its internal elements which can simultaneously fall out be given; from these data determine the structure of a reliable relay device. The table of states of the relay device, obtained by the usual methods of the theory of the relay device, is understood as a table of communications which must be coded with a code correcting  $d$  errors. A list of coding words of the correction code is obtained by known methods; this list is understood as table of states of the new-structure of the device. It is shown that the new structure allows the device to satisfy the given working conditions even if a certain number  $d \leq d$  of elements simultaneously falls out. The structures of the device obtained by the proposed method possess an excessiveness of the internal elements equal [Abstracter's note: Complete translation] to the excessiveness of the correction code.

Card 1/1

GAVRILOV, M.A.

PHASE I BOOK EXPLOITATION SOV/3781

Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki

Promyshlennaya telemekhanika (Industrial Telemechanics) Moscow, 1960.  
284 p. Errata slip inserted. 4,000 copies printed.

Resp. Ed.: M.A. Gavrilov; Ed. of Publishing House: Ye.N. Grigor'yev;  
Tech. Ed.: N.G. Shevchenko.

PURPOSE: This collection of articles is intended for scientific workers and engineers in the field of telemechanics.

COVERAGE: The book contains studies completed in 1957 by the workers of the Institut avtomatiki i telemekhaniki AN SSSR (Institute of Automation and Telemechanics, Academy of Sciences USSR). They include telemechanic equipment, particularly contactless systems and systems for distributed equipment, the design of telemechanic signal systems, problems of bridge minimizing in relay circuitry, and methods of synthesizing relay circuitry using contactless components. No personalities are mentioned. Most of the articles are accompanied by references.

Card 1/4

Industrial Telemechanics

SOV/3781

TABLE OF CONTENTS:

Foreword 3

PART I. GENERAL PROBLEMS OF TELEMECHANICS

Gavrilov, M.A. Development and Present State of Discrete Tele-  
mechanic Theory and Equipment 5

PART II. THEORY OF TELEMECHANIC SYSTEMS

x Gavrilov, M.A. Design of Bridge Circuitry. 35

Rodin, V.N. Contactless Counter Circuits Combining Counting and  
Coincidence Functions 92

Ostianu, V.M. Evaluation of the Number of Self-Correcting Codes  
With Combined Use of Characteristic Pulse Features 109

Tomfel'd, Yu.L. Combined Use of Characteristic Pulse Features  
in Protected Circular Signals 115

Card 2/4

Industrial Telemechanics

SOV/3781

Kharlamov, V.M. Signal Systems Using Characteristic Pulse Frequency Features 130

Zhozhikashvili, V.A., and K.G. Mityushkin. Design of Full-Wave Pulse Distributor Using Hysteresis Components 146

Prangishvili, I.V. Operation of Pulse Components Using Ferromagnetic Materials With Rectangular Hysteresis Loop Under Resistive and Inductive Load Conditions 154

Parkhomenko, P.P. High-Capacity Machine for Relay Circuitry Analysis 172

PART III. TELEMECHANIC EQUIPMENT

Bilik, R.V., and V.N. Silayev. Complex Telemechanic System for Distributed Equipment 198

Babicheva, Ye.V. Telemechanic Equipment for the Control of Distributed Equipment Systems 218

Card 3/4

Industrial Telemechanics

SOV/3781

Prangishvili, I.V. New Components for Contactless Telemechanic Systems 236

Bilik, R.V. Remote Signal System Using Polarized Relays 260

Abdullayev, D.A. Remote Signaling in Telemechanic Systems With Distributed Control Points 277

AVAILABLE: Library of Congress (TJ 213.A325)

Card 4/4

KM/rem/jb  
7-20-60

TSYPKIN, Ya.Z., doktor tekhn.nauk, otv.red.(Moskva); GAVRILOV, M.A., doktor tekhn.nauk, red.; DOUGOLENKO, Yu.V., doktor tekhn.nauk, red.(Leningrad); KOTEL'NIKOV, V.A., kand.tekhn.nauk, red.; LERNER, A.Ya., doktor tekhn.nauk, red.; MOROSANOV, I.S., red. (Moskva); POSPELOV, G.S., doktor tekhn.nauk, red.; FEL'DBAUM, A.A., doktor tekhn.nauk, red.; KHRAMOY, A.V., kand.tekhn.nauk, red.; PODGOYETSKIY, M.L., red.isd-va; MARKOVICH, S.G., tekhn.red.

[Theory and application of discrete automatic control systems] Teoriia i primeneniie diskretnykh avtomaticheskikh sistem; trudy konferentsii. Moskva, Izd-vo Akad.nauk SSSR, 1960. 572 p.

(MIRA 13:7)

1. Konferentsiya po voprosam teorii i primeneniye diskretnykh avtomaticheskikh sistem. Moscow, 1958.  
(Automatic control)

LERNER, Aleksandr Yakovlevich, doktor tekhn.nauk; GAVRILOV, Mikhail  
Aleksandrovich, prof., doktor tekhn.nauk; MALOV, Vladimir  
Sergeyevich, dotsent, kand.tekhn.nauk; ISLANKINA, T.P., red.;  
NAZAROVA, A.S., tekhn.red.

[Automation of tomorrow] Avtomatika zavtra. Moskva, Izd-vo  
"Znanie," 1961. 47 p. (Vsesoiuznoe obshchestvo po rasprostrane-  
niiu politicheskikh i nauchnykh znani. Ser.4, Tekhnika, no.16)  
(MIRA 14:12)

(Automation)



S/569/61/003/000/006/011  
D201/D305

16.6600

AUTHOR: Gavrilov, M.A. (USSR)

TITLE: Structural redundancy and reliability of a switching circuit operation

SOURCE: International Federation of Automatic Control. 1st Congress, Moscow, 1960. Statisticheskkiye metody issledovaniya. Teoriya struktur, modelirovaniye, terminologiya, obrazovaniye. Moscow, Izd-vo AN SSSR, 1961, 323 - 339

TEXT: The author considers the problem of designing on-off systems having a given reliability. The problem of obtaining a reliable operation of on-off devices is usually solved by applying the condition of so-called "structural redundancy". In other words by introducing into the structure of the relay arrangement additional switching elements which are not needed for normal system operation in the absence of developed faults. The problem is thus reduced to determining m states of such internal elements (i.e. elements which

Card 1/3

Structural redundancy and reliability .. S/569/61/003/000/006/011  
D201/D305

are required for realizing the given control algorithm) which would satisfy exactly the control algorithm for a given number of internal element failures. This is proved to be analogous to the problem of designing a system of discrete signals, correcting  $d$  and detecting  $q$  ( $d + 1 \leq q \leq d + \Delta$ ) failures. The problem is illustrated by solving an elementary system of a single relay. The solution gives the number of three elements to replace a single on-off element if the reliable operation has to be obtained for any one of the additional element failing to operate. Finally, the method is applied for designing the structure of a binary counter, operating correctly with the failure of any one of its switching elements. In the case of multi-position switching elements, the mechanics of designing a switching device is stated to remain the same, but instead of the methods dealing with binary signals, those analyzing the problems of non-binary signal systems, should be applied. A discussion followed in which the following took part: M. Nedelku (Rumania), G. K. Moisil (Rumania) and Wang Ch'uan - Shang (C.P.R.). There are 9 tables, 7 figures and 20 references: 12 Soviet-bloc and 8 non-Soviet-bloc. The 4 most recent references to the English-language pu-

Card 2/3

S/569/61/003/000/006/011  
Structural redundancy and reliability .. D201/D305

blications read as follows: J. von Neumann, Probabilistic Logics and the Synthesis of Reliable Organisms from unreliable components, Automata studies, Princeton Univ. Press, Princeton, 1956; E.F. Moore, C.E. Shannon, Journ. of Frankl. Inst., v. 262, no. 3, 191-208; no. 4, 281-297, 1956; M. Kochen, IBM Journ. of Research and Development, v. 3, no. 2, 169-186, 1959; A. Mullin, Communications and Electronics, 1958, Nov. 606-610.

B

Card 3/3

TRAPEZNIKOV, V.A., akademik, glav. red.; AYZERMAN, M.A., doktor tekhn. nauk, red.; AGEYKIN, D.I., kand. tekhn. nauk, red.; ARTOBOLEVSKIY, I.I., akademik, red.; BATRACHENKO, L.P., inzh., red.; VORONOV, A.A., doktor tekhn. nauk, red.; GAVRILOV, M.A., doktor tekhn. nauk, red.; DIKUSHIN, V.I., akademik, red.; KARIBSKIY, V.V., kand. tekhn. nauk, red.; KOGAN, B.Ya., kand. tekhn. nauk, red.; KRASIVSKIY, S.P., red.; KULEBAKIN, V.S., akademik, red.; LERNER, A.Ya., doktor tekhn. nauk, red.; LETOV, A.M., kand. tekhn. nauk, red.; MEYEROV, M.V., doktor tekhn. nauk, red.; PETROV, B.N., akademik, red.; PUGACHEV, V.S., doktor tekhn. nauk, red.; SOTSKOV, B.S., red.; STEFANI, Ye.M., kand. tekhn. nauk, red.; KHRAMOY, A.V., kand. tekhn. nauk, red.; TSYPKIN, Ya.Z., doktor tekhn. nauk, prof., red.; CHELYUSTKIN, A.O., kand. tekhn. nauk, red.; CHILIKIN, M.G., doktor tekhn. nauk, red.; NAUMOV, B.N., kand. tekhn. nauk, red.; KASHINA, P.S., tekhn. red.

[Transactions of the International Federation of Automatic Control, 1st International Congress, Moscow, 1960] Trudy I Mezhdunarodnogo kongressa Mezhdunarodnoi federatsii po avtomaticheskomu upravleniiu. Moskva, Izd-vo Akad. nauk SSSR. Vol.2. [Theory of discrete systems, optimal systems, and adaptive automatic control systems] Teoriia diskretnykh, optimal'nykh i samonastroyayushchikhsia sistem. 1961. 996 p.

(MIRA 14:9)

1. International Federation of Automatic Control, 1st International Congress, Moscow, 1960. 2. Chlen-korrespondent AN SSSR (for Sotskov)  
(Automatic control)

GAVRILOV, M. A.

"The advanced of theory of switching systems and finite automata"

report submitted for the Intl. Symposium on Relay Systems and Finite Automata Theory (IFAC), Moscow, 24 Sep-2 Oct 1962.

GAVRILOV, M.A.

Industrial Electronics  
1962 bk.

BERG, A.I., glav. red.; TRAPESTNIKOV, V.A., glav. red.; BELIKOVICH, D.M.,  
zaml glav. red.; LEHNET, A.Ya., doktor tekhn. nauk, prof.,  
zam. glav. red.; AVENI, O.I., red.; AGEYKIN, D.I., red.; kand.  
tekhn. nauk, dots., red.; AYZERMAN, M.A., red.; VENIKOV, V.A.,  
doktor tekhn. nauk, prof., red.; VORONOV, A.A., doktor tekhn.  
nauk, prof., red.; GAVRILOV, M.A., doktor tekhn. nauk, prof.,  
red.; ZERNOV, D.V., red.; IL'IN, V.A., doktor tekhn. nauk,  
prof., red.; KITOV, A.I., kand. tekhn. nauk, red.; KOGAN, B.YA.,  
doktor tekhn. nauk, red.; KOSTOUSOV, A.I., red.; KRIVITSKIY,  
N.A., kand. fiz.-mat. nauk red.; LEVIN, G.A., prof. red.;  
LOZINSKIY, M.G., doktor tekhn. nauk, red.; MASSIYEVSKIY, V.I.,  
red.; MAKSAEV, Yu.Ye., red.; MASLOV, A.A., dots., red.; POPKOV, A.A., red.;  
RAKOVSKIY, M.Ye., red.; ROZENBERG, L.D., doktor tekhn. nauk,  
prof., red.; SOTSKOV, B.S., red.; TIMOFEYEV, P.V., red.;  
USHAKOV, V.B., doktor tekhn. nauk, red.; FEL'DBAUM, A.A.,  
doktor tekhn. nauk, prof., red.; FROLOV, V.S., red.;  
KHARKEVICH, A.A., red.; KHEZANOV, A.V., kand. tekhn. nauk, red.;  
TSYPKIN, Ya.Z., doktor tekhn. nauk, prof., red.; CHELYUSTKIN,  
A.B., kand. tekhn. nauk, red.; SHREYDER, Yu.A., kand. fiz.-  
mat. nauk, dots., red.; BOCHAROVA, M.D., kand. tekhn. nauk,  
starshiy nauchnyy red.; DELONE, N.N., inzh., nauchnyy red.;  
BARANOV, V.I., nauchnyy red.; PAVLOVA, T.I., tekhn. red.

(Continued on next card)

BERG, A.I.--- (continued). Card 2.

[Industrial electronics and automation of production processes] Avtomatizatsiia proizvodstva i promyshlennaia elektronika. Glav. red. A.I.Berg i V.A.Trapeznikov. Moskva, Gos.nauchn. izd-vo "Sovetskaia Entsiklopediia." Vol.1. A - I. 1962. 524 p.  
(MIRA 15:10)

1. Chlen-korrespondent Akademii nauk SSSR (for Sotskov, Kharkovich, Zernov, Timofeyev, Popkov).  
(Automatic control) (Electronic control)

ACCESSION NR: AT4031771

S/0000/63/000/000/0180/0211

AUTHOR: Gavrilov, M. A.

TITLE: General method for the construction of bridge structures of  $(1, K)$ -networks

SOURCE: AN SSSR. Strukturnaya teoriya releynykh ustroystv (Structural theory of relay devices). Moscow, Izd-vo AN SSSR, 1963, 180-211

TOPIC TAGS: control system, automatic control, relay, relay structure, feedback, bridge structure

ABSTRACT: The author has previously (M. A. Gavrilov. Minimizatsiya bulevykh funktsiy, kharakterizuyushchikh releynyye tsepi. "Avtomatika i telemekhanika," no. 9, 1959) proposed a method for determining the general and particular minimal forms in a class of parallel-sequential structures, requiring the enumeration only of the working and forbidden states and thus free of the principal defect of other known methods. This method is known as the "probe method." In the paper mentioned above, the concept of the minimal term was introduced, which is defined as the term of a Boolean function containing the minimum number of letters: such a number of such letters that, if reduced by even one letter, this term will define not only the working state but at least one forbidden state. It was proven that the minimal form of the Boolean function, characterizing the structure of a relay device,

Card 1/6



ACCESSION NR: AT4031771

the operating conditions of which are assigned by the number of working states, contains only minimal terms which define all these states. Further investigation of this method has shown that it may also be effectively applied to the solution of the problem of bridge structure construction. This question is the subject of the present article. The author claims that he knows of only three works in which the intuition of the designer is replaced by a definite algorithm, determining the order of selection of the structural elements and the transition from one structural node to the other. The first of these, proposed by A. Sh. Blokh (Kanonicheskiy metod sinteza elektronny\*kh skhem. Trudy\* Instituta mashinizatsii i avtomatizatsii AN BSSR, no. 1, 1961), consists in the construction of a canonical table and is based entirely on the divisibility of the structure circuits, which prevents the utilization of all possibilities for the construction of bridge structures. In addition, each of the canonical tables is built for a definite arrangement of the row-variable ribs of the tree, which requires inspection of the variants in order for the most rational solution to be obtained. The method involves a large number of operations. The second method, proposed by V. N. Roginskiy (Elementy\* strukturnogo sinteza releyny\*kh skhem upravleniya. Is-vo AN SSSR, 1959) is based, like the first, on the sequential building of structural nodes from the finite to the initial with a definite order of arrangement of the acting circuits of the relay elements in the structure of the device. In the third method, proposed by

Card 2/6

ACCESSION NR: AT4031771

F. Svoboda (Uziti neurcite dvojhodnotive Booleovy funkce na syntesu jednotaknyich hradlovych shemat. Stroje na spracovani informaci. Sbor. 2, CSAV. Praha, 1954), the same order in the construction of a  $(1, K)$ -network structure is employed; however, the sequence of the variables is not fixed and at each node there is a selection both of the number of subsequent nodes and of the composition of the acting organs of the elements occurring in the circuits running to these nodes. The large number of operations required in these methods leads to the fact that even with four or five variables their use in manual synthesis is difficult and when mechanized requires a great deal of machine time or (in the case of special machines) — a large amount of equipment. The reason for the unwieldiness of these methods is seen by the author primarily in the fact that they require consideration of all the  $2^n$  states (i. e., the working and forbidden, as well as the conditional states), although in principle the operating conditions of a relay device are completely determined by an enumeration of the states relating to any two of these three categories of states. (The point is emphasized that this defect is inherent in the majority of the methods published on minimization in the class of parallel-sequential structures.) What the method proposed in this article does (and this is, in the author's view, the most rational approach) is to determine these conditions by means of the working and forbidden states, since in relay devices employed in actual practice the number of conditional states increases as a function of an increasing number of variables far more rapidly than the number of working and forbidden

Card 3/6

ACCESSION NR: AT4031771

states. The author has represented the bridge structure of a (1, K)-network in the form of a certain graph, in which each apex corresponds to one of the nodes of the structure and each rib to the direct structural conductivity of the circuit between the corresponding nodes (that is, to the structural conductivity of the circuit running between the given nodes and entering no other nodes). The graph is oriented by matching certain of its apices with the initial and terminal nodes of the (1, K)-network (Fig. 1 of the Enclosure). The structure of the (1, K)-network is constructed so that each of the ribs represents the conductivity of a single acting organ of a relay element or their parallel connection, which will correspond to building a relay device structure in which each internodal circuit will contain one or several parallel-connected acting organs. Such ribs the author calls "elementary." When building such a graph, the initial and terminal nodes are given, while for each of the latter a table of states is known which characterizes the operating conditions of the relay element and the relay circuits which are to be realized between the initial node and each of the terminal nodes. It is necessary to determine the number of graph apices required for this purpose and all the reentering of the elementary ribs of the graph, including those reenterings and conductivities equal to zero or unity. The author describes in detail the operations involved in transforming the state tables, considering first a particular case in which, in the tables, for each of the output nodes of the structure there are identical conditional states. Orig. art. has: 32 tables and 14 figures.

Card 4/6

ACCESSION NR: AT4031771

ASSOCIATION: None

SUBMITTED: 14Nov63

DATE ACQ: 16Apr64

ENCL: 01

SUB CODE: IE, EC

NO REF SOV: 005

OTHER: 001

Card 5/6

ACCESSION NR: AT4031771

ENCLOSURE: 01




Fig. 1. Graph with elementary ribs 0 — apex corresponding to initial node;  
1, 2, 3 — apices corresponding to terminal nodes

Card 6/6

GAVRILOV, M.A., prof., otv. red.; GORSHKOV, G.B., red. izd-va;  
MAKUNI, Ye.V., tekhn. red.

[Structural theory of relay devices] Strukturnaia teoriia  
releinykh ustroystv. Moskva, Izd-vo AN SSSR, 1963. 270 p.  
(MIRA 17:1)

1. Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki.

GAVRILOV, M..A.

"Signalization and Prediction in Discrete Control  
Systems with Structural Redundance."

paper to be presented at the IFAC Congress held in  
Basel, Switzerland, 27 Aug to 1: Sep 63

GAVRILOV, M.A. (Moskva)

Construction of block-type relay devices and finite automata.  
Izv. AN SSSR. otd. tekhn. nauk. tekhn. kib. no.3:13-27 My-Je '63.  
(MIRA 16:7)

(Automatic control) (Electric relays)



GAVRILOV, M.A., doktor tekhn.nauk

Symposium on the Theory of Relay Systems and Finite Automata.  
Vest.AN SSSR 33 no.4:85-88 Ap '63. (MIRA 1684)  
(Electric relays) (Automata)

BERG, A.I., glav. red.; TRAPEZNIKOV, V.A., glav. red.; TSYPKIN, Ya.Z., doktor tekhn. nauk, prof., red.; VORONOV, A.A., doktor tekhn. nauk, prof., red.; SOTSKOV, B.S., doktor tekhn. nauk, red.; AGEYKIN, D.I., doktor tekhn. nauk, red.; GAVRILOV, M.A., red.; VENIKOV, V.A., doktor tekhn. nauk, prof., red.; CHELYUSKIN, A.B., doktor tekhn. nauk, red.; PROKOF'YEV, V.N., doktor tekhn. nauk, prof., red.; IL'IN, V.A., doktor tekhn. nauk, prof., red.; KITOV, A.I., doktor tekhn. nauk, red.; KAINITSKIY, N.A., kand. fiz.-matem. nauk, red.; KOGAN, B.Ya., doktor tekhn. nauk, red.; USHAKOV, V.B., doktor tekhn. nauk, red.; LERNER, Yu.A., doktor tekhn. nauk, prof., red.; FEL'DBAUM, A.A., prof., doktor tekhn. nauk, red.; SHREYDER, Yu.A., kand. fiz.-mat. nauk, dots., red.; KILARKEVICH, A.A., akad., red.; TIMOFEYEV, P.V., red.; MASLOV, A.A., dots., red.; LEVIN, G.A., prof., red.; LOZINSKIY, M.G., doktor tekhn. nauk, red.; NETUSHIL, A.V., doktor tekhn. nauk, prof., red.; POPKOV, V.I., red.; ROZENBERG, L.D., doktor tekhn. nauk, prof., red.; LIVSHITS, A.L., kand. tekhn. nauk, red.

[Automation of production and industrial electronics] Avtomatizatsiia proizvodstva i promyshlennaia elektronika; entsiklopediia sovremennoi tekhniki. Moskva, Sovetskaia Entsiklopediia. Vol.3. Pogreshnost' resheniia - Teleizmeritel'naia sistema chastotnaia. 1964. 487 p. (MIRA 17:10)

1. Chlen-korrespondent AN SSSR (for Sotnikov, Gavrilov, Timofeyev, Popkov).

KHRAMOY, A.V. (deceased); MEYEROV, M.V.; AYZERMAN, M.A.; ULANOV, G.M.;  
TSYPKIN, Ya.Z.; FEL'DBAUM, A.A.; LERNER, A.Ya.; PUGACHEV, V.S.;  
IL'IN, V.A.; GAVRILOV, M.A.

Work of the Institute of Automatic and Remote Control  
on the development of the theory of automatic control during  
1939-1964. Avtom. i telem. 25 no. 5:763-807 Je '64.

(MIRA 17:7)

L, 17559-65 EWT(d) IJP(c)  
ACCESSION NR: AP5000152

S/0103/64/025/011/1588/1596

B

AUTHOR: Gavrilov, M. A. (Moscow)

TITLE: More accurate determination of the number of states in constructing  
finite automata 16

SOURCE: Avtomatika i telemekhanika, v. 25, no. 11, 1964, 1588-1596

TOPIC TAGS: finite automaton

ABSTRACT: A theory of constructing complex finite automata from relatively simple units is considered. A. Gill's algorithm (IRE Trans., v. EC-10, no. 3, Sept. 1961) for cascading the units is found to yield a maximum number of states. A better evaluation of the number of states is suggested. A finite automaton with two inputs and one output is considered, and its functioning is expressed by D. A. Huffman's flow tables (J. Franklin Inst., v. 257, Mar-Apr. 1954). The automaton is subdivided into two units, and the conditions of equivalence are

Card 1/2

L-17559-65  
ACCESSION NR: AP5000152

formulated. This automaton has 10 states according to the author's algorithm and 20 states according to Gill's; the difference is explained by the cyclic and semi-cyclic sequences of states which either do not result in stable states or lead to them via several unstable states. Orig. art. has: 8 figures and 18 formulas.

ASSOCIATION: none

SUBMITTED: 06Apr63

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 003

Card 2/2

BERG, A.I., glav. red.; TRAPEZNIKOV, V.A., glav. red.; TSYFKIN,  
Ya.Z., doktor tekhn. nauk, prof., red.; VORONOV A.A.,  
prof., red.; AGEYKIN, D.I., doktor tekhn.nauk red.;GAVRILOV,  
M.A., red.; VENIKOV, V.A., doktor tekhn. nauk, prof., red.;  
SOTSKOV, B.S., red.; CHELYUSTKIN, A.B., doktor tekhn. nauk,  
red.; PROKOF'YEV, V.N., doktor tekhn. nauk, prof., red.;  
IL'IN, V.A., doktor tekhn. nauk, prof., red.; KITOV, A.I.,  
doktor tekhn. nauk, red.; KRINITSKIY, N.A., kand. fiz. mat.  
nauk, red.; KOGAN, B.Ya., doktor tekhn. nauk, red.; USHAKOV,  
V.B., doktor tekhn. nauk, red.; LERNER, A.Ya., doktor tekhn.  
nauk, prof., red.; FEL'DBAUM, A.A., doktor tekhn. nauk, prof.,  
red.; SHREYDER, Yu.A., kand. fiz.-mat. nauk, red.; KHARKEVICH,  
A.A., akademik, red. [deceased]; TIMOFEYEV, P.V., red.;  
MASLOV, A.A., dots., red.; TRUTKO, A.F., inzh., red.; LEVIN,  
G.A., prof., red.; LOZINSKIY, M.G., doktor tekhn. nauk, red.;  
NETUSHIL, A.V., doktor tekhn. nauk, prof., red.; POPKOV, V.I.,  
red.; ROZENBERG, L.D., doktor tekhn. nauk, prof., red.;  
LIFSHITS, A.L., kand. tekhn. nauk, red.; AVEN, O.I., kand.  
tekhn. nauk, red.; BLANN, O.M. [Blunn, O.M.], red.; BROYDA, V.,  
inzh., prof., red.; BREKKL', L [brockl, L.] inzh., knad. nauk, red.;  
VAYKHARDT, Kh. [Weichardt, H.], inzh., red.; BOCHAROVA, M.D., kand.  
tekhn. nauk, st. nauchn. red.

[Automation of production processes and industrial electronics]  
Avtomatizatsiia proizvodstva i promyshlennaya elektronika; entsiklo-  
pediia sovremennoi tekhniki. Moskva, Sovetskaia entsiklopediia.  
Vol.4. 1965. 543 p. (TRA 18:6)

GAVRILOV, M.A., doktor tekhn. nauk, prof., otv. red.

[Theory of finite and probability automata; transactions]  
Teoriia konechnykh i veroiatnostnykh avtomatov; [trudy].  
Moskva, Nauka, 1965. 403 p. (MIRA 18:7)

1. International symposium on relay systems theory and  
finite automata, Moscow, 1962.

GAVRILOV, M.A., doktor tekhn. nauk, prof., av. red.; KIMBLEY  
V.N., red.

[Synthesis of relay structures; transactions] Sintez re-  
leinykh struktur; trudy Mezhdunarodnogo simpoziuma po  
teorii releinykh ustroystv i konechnykh avtomatov (IFAK).  
Moskva, Nauka, 1965. 406 p. (MIRA 18 11)

1. International Symposium on Relay Systems Theory and  
Finite Automata, Moscow, 1962.



L 04988-67 EWT(d)/EWP(k)/EWP(h)/EWP(l)/EWP(v) GD

ACC NR: AT6016438

(A)

SOURCE CODE: UR/0000/65/000/000/0211/0220

38  
BT/

AUTHOR: Gavrilov, M. A.

ORG: none

TITLE: Signaling and predicting failures in discrete control devices with structural redundancy

SOURCE: International Federation of Automatic Control. International Congress, 2d, Basel, 1963. Diskretnyye i samonastravayushchiyesya sistemy (Discrete and adaptive systems); trudy kongressa. Moscow, Izd-vo Nauka, 1965, 211-220

TOPIC TAGS: circuit failure, system reliability, reliability engineering, automatic control equipment

ABSTRACT: Methods involving structural redundancy are of great importance in solving the problem of reliable operation of automatic control devices. This article examines certain fundamental possibilities of signaling or predicting breakdowns in automatic control devices. One principle previously described by the author which governs these possibilities is that determination of the minimum number of extra internal elements necessary to provide requisite reliability completely coincides with the problem of determining the minimum number of supplementary symbols needed to construct correction codes for the corresponding number of

Card 1/2

L 04988-67

ACC NR: AT6016438

mistakes. This method involves construction of tables of states and relates to the case where failure probability is the same for all internal elements, element failures are symmetrical, and individual failures are independent. Other conditions demand a different approach. The discussion expands the application of this method. Orig. art. has: 8 formulas, 3 tables, and 4 figures.

SUB CODE: 09/13/ SUBM DATE: 29Sep65/ ORIG REF: 004/ OTH REF: 004

Card 2/2

ACC NR: AT6030867

SOURCE CODE: UR/0000/66/000/000/0005/0016

AUTHOR: Gavrilov, M. A. (Corresponding member AN SSSR)

ORG: none

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000514430005-9

TITLE: Evaluation of operating conditions of relay systems from the point of view of their complexity

SOURCE: Moscow. Institut avtomatiki i telemekhaniki. Abstraktnaya i strukturnaya teoriya releynykh ustroystv (Abstract and structural theory of relay devices). Moscow, Izd-vo Nauka, 1966, 5-16

TOPIC TAGS: relay system, relay system analysis, truth table, relay system design, algorithm, electric relay

ABSTRACT: Given the operational conditions of a certain aggregate of blocks in a relay system, denoted in some symbolic language, the interactions of these blocks are determined by isolating external and internal inputs and outputs and finding the interaction between the internal inputs and outputs of individual blocks. It is necessary to use the same or another symbolic language to describe the operating conditions of some equivalent relay system, constructed as a single block, or an aggregate of blocks, when this system retains all the external inputs and outputs of the original block aggregate or realizes precisely the same functional algorithm as the original block aggregate. In earlier works, the author has proposed the following three opera-

Card 1/2

ACC NR: AT6030867

tions for the equivalent transformations of the transfer tables: 1) multiplication of the transfer tables, i. e., replacement of two blocks by one equivalent block; 2) union of transfer tables, i. e., the replacement of two blocks which have independent and repetitive external inputs and outputs, by the third equivalent block; and 3) division of the transfer tables, i. e., the division of an arbitrary block which has several outputs into two or more blocks. Each of these steps is analyzed using block diagrams and truth tables. Orig. art. has: 7 figures, 19 tables, 5 formulas.

SUB CODE: 09,12/

SUBM DATE: 06Jun66/

ORIG REF: 006/

OTH REF: 002

Card 2/2

GAVRILOV, M.A.

Ore roasting from the Khovu Aksy deposit. TSvet.met. 35  
no.8:47-49 Ag '62. (MIRA 15:8)  
(Khovu Aksy region--Ore deposits)  
(Nonferrous metals--Metallurgy)

# 144

GASANOV, Kh. N  
TO

GARILOV, M.D.

THE  
FIVE

